INDIAN INSTITUTE OF ASTROPHYSICS 2nd BLOCK, KORAMANGALA, BENGALURU – 560034.

TENDER DOCUMENT

Name of Work: Construction of Panel boxes for Radio Antenna and renovation works at Quarters No. 27, 28, 31 & 32 at Kodaikanal Solar Observatory, IIA Kodaikanal.

Tender Notice No.: 21/IIA/CIVIL/KSO/KODAIKANAL/2017-18 Dated 21.03.2018

INDIAN INSTITUTE OF ASTROPHYSICS

Ph.080-2554 1200/1259/1359 , **Fax**: 25534043 **Website**: www.iiap.res.in



INDIAN INSTITUTE OF ASTROPHYSICS

2ND BLOCK, KORAMANGALA,

BENGALURU-560 034.

Tender Notice No.: 21/IIA/CIVIL/KSO/KODAIKANAL/2017-18 Dated 21.03.2018

The Director, Indian Institute of Astrophysics invites sealed item rate tenders in the prescribed format for the following work from appropriate registered contractors in state PWD, CPWD, MES, Scientific institutions and private body contractors who have executed works of similar nature.

Sl. No.	Name of the work	Estimated cost in Rs.	Time for completion	EMD Rs.	Cost of tender document Rs.
1.	Construction of Panel boxes for Radio Antenna and renovation works at Quarters No. 27, 28, 31 & 32 at Kodaikanal Solar Observatory, IIA Kodaikanal.	6,12,657/-	04 Months	15,000/-	1,000/-

The Tender Document can be viewed and downloaded from our website www.iiap.res.in/tenders.htm. The interested tenderers may at their option download the same, as "NO" hard copies of Tender document shall be provided from this office and submit their offers along with EMD (refundable) & Tender fee (non-refundable) prescribed therein, only in the form of Demand Draft drawn in favor of "Indian Institute of Astrophysics" payable at Bangalore. The DD shall be valid for a period of forty five days beyond the date of opening of bids.

The Offers containing complete tender document duly filled with price (Bill of Quantities) and complete credentials including experience certificates should be submitted in sealed cover super scribing the envelope with "Construction of Panel boxes for Radio Antenna and renovation works at Quarters No. 27, 28, 31 & 32 at Kodaikanal Solar Observatory, IIA Kodaikanal.". Notice No. and due date", shall be submitted addressed to The Director, Indian Institute of Astrophysics, 2nd Block, Koramangala, Bengaluru– 560 034. The last date of submission of bid is 13.04.2018 on or before 15:00 hrs. The bids will be opened at 15:30 hrs on the same day in the presence of attending tenderers or their authorized representatives.

ELIGIBILITY CRITERIA

The firms who fulfill the following requirements shall be eligible to submit their bids. Joint ventures are not acceptable.

(i) Tendering Company shall be professionally managed and resourceful for taking up similar jobs.

- (ii) The experience of having successfully completed similar work during last 5 years as on 31.03.2018 should be either of the following:
 - a) Three similar completed works costing not less than the amount equal to 40% of the estimated cost.

OR

b) Two similar completed works costing not less than the amount equal to 50% of the estimated cost.

OR

- c) One similar completed work costing not less than the amount equal to 80% of the estimated cost.
- (iii) The tenderer should have executed similar construction of works at Kodaikanal Region.

Documentary Proof for Eligibility

Self attested/certified copy of work orders and completion certificates issued by the authority concerned to establish work experience shall be attached to the tender document. Copies of the Income Tax Returns along with Financial Statements such Balance Sheet, P&L Account etc for the last 3 Financial Years shall be attached to the tender document.

Valid Contract License issued by the competent authority shall be enclosed.

OTHER CONDITIONS

- 1. Technical & price Bids supported by the above information should be submitted in a Sealed envelope duly super scribed with the name of work, tender notice No., Last date of submission. The completed Bids will be received by this office **up to 15:00 Hrs. on 13.04.2018.**
- 2. If any information furnished by the tenderers is found incorrect at a later stage, the firm shall be liable to be debarred from tendering and taking up of work in I.I.A. The Institute reserves the right to verify the particulars furnished by the tenderers.
- 3. The firms should submit their offers along with EMD/Tender fee of prescribed amount up to 15:00 Hrs. on 13.04.2018.
- 4. Incomplete Technical Bids are liable for rejection.
- 5. Late & / delayed offer will not be considered.
- 6. IIA is not responsible for any delay / loss of documents in transit.
- 7. The Tenders will be opened **on 13.04.2018** at **15:30** hours at **I.I.A**, **Bengaluru** in the presence of bidders or their authorized representatives. The representatives of the tenderers should bring authorization letter / identification while attending for opening of the tenders.
- 8. IIA reserves the right to reject any or all tenders without assigning any reasons.

Senior Administrative Officer IIA, Bengaluru-34.

INDIAN INSTITUTE OF ASTROPHYSICS 2nd Block, Koramangala, Bengaluru-560 034.

Tender Notice No.: 21/IIA/CIVIL/KSO/KODAIKANAL/2017-18 Dated 21.03.2018

M/s.	
Dear Sir,	
The Director, Indian Institute of Astrophysics, Benga "Construction of Panel boxes for Radio Antenna 28, 31 & 32 at Kodaikanal Solar Observatory, herewith may be noted carefully. If you are in a positive requirement, please submit your quotation in the attached T	and renovation works at Quarters No. 27, IIA Kodaikanal". The Tender Terms enclosed ion to quote for the work in accordance with the
Your Tender must reach this office on or before the date and	time indicated in the Tender Schedule.
Γhanking you,	
	Yours faithfully,
Encl: as above.	Senior Administrative Officer
	for Director

3. INSTRUCTIONS TO THE TENDERERS

- 1. The tenderers should submit the entire tender document with duly filled with price and technical details of the firm. All the pages of document shall be duly signed.
- 2. The rates quoted by the tenderer in the schedule shall be inclusive of all taxes and levies. Such rates should provide the break-up of the cost and applicable taxes, levies etc.
- 3. The Offers should be submitted in sealed envelope super scribed with "Tender for "Construction of Panel boxes for Radio Antenna and renovation works at Quarters No. 27, 28, 31 & 32 at Kodaikanal Solar Observatory, IIA Kodaikanal". Notice No. and due date".
- 4. If any clarification is required should be obtained before filling Tender Document.
- 5. If any discrepancy is there between figures and words for quoted rates, the lower of the two will be considered for the purpose of evaluation.
- 6. The tenderers who do not fulfill all or any of the tender conditions or if the tender is Incomplete in any respect, will be summarily rejected.
- 7. The Institute is not bound to accept the lowest tender.
- 8. Even though the Tenderers meet the above criteria, they are subject to be disqualified if they have (The Institute reserves the right to verify the particulars furnished by the tenderers.)
 - Made misleading or false representations in the forms, statements and attachments submitted in proof of the qualification requirement, Conditional bid / proposal: and / or
 - Record of poor performance such as abandoning the works, not properly completing the contract, inordinate delays in completion, litigation history, or financial failures etc.
- 9. Any effort by the contractor to influence the client in the bid evaluation, bid comparison or contract award decision results in rejection of the contractors bid.
- 10. Financial offer will be considered if the bidders fulfill all the technical and financial eligibility criteria as per tender.
- 11. Late & / delayed offer will not be considered at all.
- 12. IIA is not responsible for any delay / loss of documents in transit.
- 13. No bids will be considered if prescribed Tender Fee and EMD are not found with the bid.
- 14. All overwriting and corrections shall be duly attested with stamp & signature.
- 15. Corrigendum's / modifications / corrections, if any, will be published in the website only.
- 16. The Director, Indian Institute of Astrophysics reserves the right to accept or reject the tenders in full or part without assigning any reason thereof.

- 17. Performance certificates of the completed works issued by the clients to be enclosed in the technical bid.
- 18. The committee constituted by the Director may inspect the previously completed or the ongoing works of the bidders to assess their technical suitability for the tendered work.
- 19. All the pages of the tender document to be signed by the contractor and submit them in the respective sealed covers.
- 20. The successful contractor will have to execute an Agreement with the Institute within 21 days of receipt of Letter of Intent / Work Order.
- 21. All the bidders are requested to visit the site before quoting the rates. The complete document shall be read and understood in all respect. If any clarification is required, the same may got cleared before submitting their offers in writing by contacting the following persons:

Mr. R. Ramachandra Reddy Ph. No. 080-2254 1417 E-mail: rrr@iiap.res.in

Mr. M. V. Ramaswamy Ph. No. 080-2254 1207 E-mail.: mramaswamy@iiap.res.in

INDIAN INSTITUTE OF ASTROPHYSICS 2ND BLOCK, KORAMANGALA, BENGALURU – 560034.

Name of Work: "Construction of Panel boxes for Radio Antenna and renovation works at Quarters No. 27, 28, 31 & 32 at Kodaikanal Solar Observatory, IIA Kodaikanal".

Tender Notice No.: 21/IIA/CIVIL/KSO/KODAIKANAL/2017-18 Dated 21.03.2018

Last date for submission: 13.04.2018 up to 15:00 hrs

FORMAT FOR SUBMISSION OF TECHNICAL & ORGANISATIONAL DETAILS.

NAME OF T	THE FIRM :
1 OFFICE SI	ET UP OF THE FIRM
1.1	Office Address:
1.2	Year of Establishment:
1.3	Contact Person Shri
	With Designation
	With D voignation
	DI AV
	Ph No
	Fax No
	E-mail
1.4	Details of registration if any:
1.5	Organizational setup of the firm
	Total staff strength both technical
	-
	And Administration with their name, age
	Qualification and experience:
1.6	PAN (photocopy to be enclosed)
	GSTIN No (photocopy to be enclosed)

1.7 Details of the staff as per the following format.

Sl. No	Profession/discipline	Name	Age	Qualification	Experience (total years)	Field of experience
	Civil					

2 <u>TENDERER'S EXPERIENCE</u>

Details of Works carried out and on hand during last five years with details such as name of work, year of completion, client name and address, cost of work, time period of construction, nature of work, etc., (It shall enclose a certificate from the owner that the service rendered by the firm has been satisfactory)

Sl. No.	Name & description of work	Value work date.	of and	Period of construction and date.	Client persons to whom reference may be made.

3. TOOLS AND EQUIPMENT LIST

The tenderer shall indicate herein below the equipment he has in possession and the equipment he proposes to bring to the site, in case the work is awarded to him.

Sl. No	Type and Description of the equipment.	Numbers the bidder has in possession	Numbers he proposes to bring on to site

Tenderers hereby confirms that the quantity and type of tools he will employ for construction will not be less than those listed above and agree to bring more equipment if so warranted in the opinion of the Engineer-in-charge.

4.	FINAN	NCIAL		
	Bank	Name:		
		Branch:		
		Account No.:		
	Avera	ge Annual Turr	nover for last 5	Years:
5. IN	ISURAN	NCE		
	Accide	ent Insurance	Insured with:	
			Policy No.:	
6.	Details	of Arbitration c	ases	:
7.	Any ot	her detail you wo	ould like to	
	intimat	e in support of y	our technical bio	i
	for app	ointment		:
Signat	ure of the	e authorized		
Person	with sea	al of the firm		
(Note:	Attach s	eparate sheet for	furnishing info	rmation in case the space in the format is insufficient)

INDIAN INSTITUTE OF ASTROPHYSICS 2ND BLOCK, KORAMANGALA, BENGALURU – 560034.

PRICE BID

Name of Work: "Construction of Panel boxes for Radio Antenna and renovation works at Quarters No. 27, 28, 31 & 32 at Kodaikanal Solar Observatory, IIA Kodaikanal".

Tender Notice No.: 21/IIA/CIVIL/KSO/KODAIKANAL/2017-18 Dated 21.03.2018

Name of			
The Firm:	 		
Address:			
Phone No:			

Last date for submission: 13.04.2018 at 15:00 hrs

Tender for the "Construction of Panel boxes for Radio Antenna and renovation works at Quarters No. 27, 28, 31 & 32 at Kodaikanal Solar Observatory, IIA Kodaikanal".

Conditions of contract

Sealed item rate tenders are invited by Indian institute of Astrophysics for the above mentioned work

Estimated cost : Rs. 6,12,657.00 (Six Lakh Twelve Thousand Six

Hundred and Fifty Seven only)

Time of completion : Four (04) Months.

Period of commencement : 7 days from the date of receipt of work order

Retention money/Security Deposit : 5% to be deducted from each RA bill and final bill,

shall be released after one year of completion of work, if any towards the cost of defects rectified by employer due to lack of response of the contractor on completion of defects liability period and on

certification by the engineer –in charge.

Defects liability period : 12 Months.

Amount of liquidated damage : Liquidated Damages will be deducted from the bill

amount while making final payment for delay in completion of work if any, as per the extant rules of the

CPWD.

Escalation : In view of the short duration of the contract, no

escalation will be paid to the contractor on account of changes in the market prices of any items of work or

changes in the cost of living indices etc.

Tax deduction at source : Statutory taxes will be deducted while making

payment from time to time as applicable.

The Director, Indian institute of Astrophysics reserves the right to reject any or all the tenders without assigning any reason whatsoever.

The tenderer shall be responsible for arranging and maintaining at his own cost all **materials**, **tools** and **plants**, **water**, **electricity**, facilities **for workers**, **safety norms** and all other services required for executing the work.

Timely completion of work and quality of workmanship are of prime importance and the work shall be completed within the stipulated period. Cement consumption must match with standard theoretical calculations. Recovery to be effected in the event of not fulfilling the cement consumption. The waterproofing is the main work for which five year performance guarantee need to be provided by the applicator.

I/ We have read the tender notice, specifications, schedule, drawings, general rules and all other contents of the tender conditions, and Understand that you are not bound to accept the lowest or any tender you may receive.

I/ we hereby tender for the execution for the work specified above within the time specified above, at the rates specified in the attached bill of quantities and in all respects with these specifications, design, drawings and instructions.

I/we agree that should I/we fail to commence the work specified in the above memorandum an amount equal to amount of earnest money mentioned in the form of invitation of tender shall be absolutely forfeited to the Director.

Dated:	Signature of the contractor with stamp

General conditions of contract.

Item rate tender for works.

The institute reserves the right to alter the scope /or reduce quantum of work before issue of
work order and the contractor shall not have any claim what so ever on this account.

- Rates quoted by the contractor in item rate tender in figures and words shall be accurately filled in so that there is no discrepancy in the rates written in figures and words. However if a discrepancy is found, the rates which correspond with the words worked out by the contractor shall be taken as correct.
- □ If the amount of an item is not worked out properly by the contractor or it does not correspond with the rate written either in figures or words, then the rate quoted by the contractor in the words shall be taken as correct.
- □ When the **rates quoted by the contractor in figures and in words** tally but the amount is not worked out correctly the rate quoted in words by the contractor will be taken as correct and not the amount.
- □ The contractor shall take all precautionary measures to prevent entry of dust, dirt and noise pollution to the adjacent buildings and keep the premises neat and tidy, remove surplus materials and rubbish and shall not cause inconvenience to the staff of IIA. If the contractor or his working people or servants shall break, deface, injure or destroy any part of a building in which they may be working or any buildings, road, kerbs, fence, enclosure, water pipes cables, drains, electric and telephone posts or wire, trees grass or garden. The cost of any such damage and risks arising out of this shall be entirely borne by the contractor.
- A bill shall be submitted by the contractor each month on or before the date fixed by the Engineer- in charge. All the measurements of the work may be recorded jointly by the Engineer-in charge and the contractor or their respective representatives. The measurements will be taken at site, as per latest IS code of practice for measurements. All measurements shall be taken with steel tapes only.
- □ The Engineer- in -Charge shall have full powers to the removal from the premises of all materials and bad workmanship, which in his opinion are not in accordance with the specifications.

- □ The Engineer –in- Charge may require the contractor to dismiss or remove from the site of the work any person or persons in the contractors employ upon the work who may be in competent or misconduct himself.
- □ For working on Sundays, holidays and late hours prior permission will be accorded by the Engineer-in charge on the application made by the contractor.
- □ All works to be executed under the contract shall be executed under the direction and subject to the approval in all respects of the Engineer-in charge who shall be entitled to direct at what point or points and in what manner they are to be commenced and from time to time carried on.
- □ The contractor shall treat all materials obtained during dismantling of a structure, excavation of the site for a work etc as institute's property and such materials shall be disposed off to the best advantage of the institute.
- The contractor shall execute the whole and every part of the work in the most substantial and workman like manner and in strict accordance with the specifications of the CPWD / DOS / Bureau of Indian Standards. In case of any class of work for which there is no such specifications the contractor shall carry out the work in all respects in accordance with the instructions in writing of the Engineer- in charge.
- □ The Engineer-in charge shall have powers to make any alterations in, omissions from, additions to or substitutions for the original specifications, drawings, designs and instructions that may appear to him necessary or advisable during the progress of the work and the contractor shall carry out the work in accordance. The rates for such additional, altered or substituted items of work shall be worked out in accordance with the standard procedure followed in CPWD / DOS.
- □ If at any time after the commencement of the work, the Director shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out, the Engineer- in-Charge shall give notice in writing of the fact to the contractor who shall have no claim to payment of compensation whatsoever on account of any profit or advantage which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work not having been carried out, neither shall he have any claim for compensation by reason of any alterations having been made in the original specifications, drawings, designs and instructions which shall involve any curtailment of the work as originally contemplated.

- □ The contractor shall obtain a valid license under the Contract Labour (R&A) act 1970 and the contract labour (Regulation & Abolition) central rules, 1971 before the commencement of the work and continue to have a valid license until the completion of the work. No labour below the age of eighteen years shall be employed on the work. The contractor shall pay to labour employed by him either directly or through sub contractors, wages not less than fair wages as defined in the provision of the contract labour (R&A) act 1970 and the contract labour (R&A) central rules 1971 wherever applicable.
- □ The contractor shall at his own expenses arrange for the safety provision as per safety code framed from time to time and shall at his own expenses provide for all facilities in connection therewith.
- □ The contractor shall comply with all the provisions of the payment of wages act 1936, Minimum Wages Act 1948, Employees liability act 1938, Workmen's Compensation act 1923, Industrial Disputes Act 1961 and the Contractors Labour (R&A) Act 1970 or the modifications thereof or any other laws relating thereto and the rules made there under from time to time. The regulations aforesaid shall be deemed to be a part of this contract and any breach thereof shall be deemed to be a breach of this contract. Security deposit will not be refunded till clearance certificate from Labour Officer is obtained by contractor.
- □ The contractor shall make his /their own arrangements for water required for the works and nothing extra will be paid for the same, as the water available from the institute source may not be sufficient to meet the construction.
- □ The contractor shall have all the tools and plants necessary to carry out the work such as concrete mixer, vibrator and hoist. The contractor shall employ one graduate engineer during the execution of the work
- □ Certified plumbers should be employed by the contractor on the plumbing and sanitary work.
- □ The standard sectional weights referred to as standard tables in para 5.3.3 in CPWD specifications for works 1977 vol. 1 to be considered for conversion of length of various sizes of M.S bars and tor steel bars in to weight.

Size (diameter mm) Weight Kg/m

Size (mm)	Weight
	(Kg/m)
6	0.222
8	0.395
10	0.617
12	0.888
16	1.579
18	1.999
20	2.467
22	2.985
25	3.855
28	4.836
32	6.316

- The entire work is to be completed within the period stipulated i.e. **Four (04) months** from the 7th day of issue of Letter of Intent/Work Order. The period includes monsoon period also. Time shall be the essence of the contract. After the work awarded, the contractors shall furnish detailed time schedules for the approval of the Engineer-in charge which after approval shall form part of the contract and are to be strictly adhere to.
- □ The maintenance period for the work shall be twelve (12) months and any defects noticed during the period shall have to be rectified by contractor at his cost, failing which the action taken for maintenance Engineer-in charge shall be final over which the contractor will not have any claim.
- □ The contractor shall extend all co-operations to the contractors executing works such as electrical, air conditioning etc who might be working at the site and shall permit to use scaffolding etc already put up by him.
- The Engineer-in charge will have the right to get any item of the work included in this tender or not executed through other agencies. Schedule of probable quantities in respect of the work and specifications are enclosed. The schedules of probable quantities are liable to alterations by emission, deduction or additions at the discretion of the Engineer-in charge.
- □ The rates quoted by the tenderer in the schedule shall be inclusive of all taxes and levies. Such rates should provide the break-up of the cost and applicable taxes, levies etc.

- □ Samples of all materials to be incorporated in the works shall be submitted to the Engineer-in charge for his approval without claiming any extra cost. Materials not confirming strictly to the samples are liable to be rejected.
- The employment of any sub-contractors will be subjected to the approval of the Engineer-incharge. If at any time during the progress of the work the Engineer-in charge determines that any sub-contractor is in competent or undesirable the contractor shall take steps immediately to cancel such sub-contractor. The contractor shall be entirely responsible for all the work included in the contract whether executed by him or through his sub-contractors. In particular it may be noted that the contractor shall obtain steel doors and windows from a reputed manufacturer and before placing order for these, the contractor shall obtain the concurrence of the department for the agency from whom he proposes to obtain steel doors and windows.
- □ The contractor shall prepare a CPM /PERT /BAR chart/ detailed estimate programme within a week's time of issue of Work Order.
- □ All materials and articles brought by the contractor to the work site shall have to be declared at the security gate. Similarly no materials shall be taken out from the departmental premises without proper gate pass which will be issued by the Engineer-in charge.
- □ Unless otherwise provided in the schedule of quantities the rates tendered by the contractor shall be all inclusive and shall apply to all heights, lifts, leads and depths of the building and nothing extra shall be payable to him on this account.
- Sample of various materials required for testing shall be provided free of charge by the contractor. Testing charges, if any unless otherwise provided, shall be borne by the department. All other expenditure required to be incurred for taking the samples, conveyance, packing etc. shall be borne by contractor himself. In case of concrete and reinforced concrete work, the contractor shall be required to make arrangement for carrying out compression strength tests at his own cost including preparation of cubes curing etc. complete.
- □ For the purpose of recording measurements and preparing running account bills, the abbreviated nomenclature shall be accepted along with the item number.
- □ The contractor shall along the tender submit a schedule of machinery to be used on the work in support of his assurance to adhere to the time schedule specified in the proform given.
- □ I/We declare that the work will be carried out as per the specifications in tender document and as per the specifications said above. The items of work not covered in the specifications said above will be carried out as per the specifications in the relevant CPWD specifications, and if not covered in CPWD specifications the work will be carried out as in the relevant IS specifications, and if not covered in the any of the above, the work will be carried out as directed in writing by the Engineer- in charge.

Da	ted:	Signature of the contractor with stamp
_	I / We declare that the rates quoted by me/us ar	e on the basis of the above.
	I / Wa dealers that the rotes gueted by maying or	a an tha hagig of the above

TENDER FORM

To,

The Director, Indian institute of Astrophysics, Koramangala, Bengaluru - 560034

Dear Sir,

Sub: Tender for project: "Construction of Panel boxes for Radio Antenna and renovation works at Quarters No. 27, 28, 31 & 32 at Kodaikanal Solar Observatory, IIA Kodaikanal"

With reference to the tender invited by you for the above proposed work, I /we write this after having:

- a). Examined the designs, drawings, detailed specifications to tenders, sample agreement, the general conditions of contract and special conditions of contract annexed there to (here in after called 'the contract documents') relating to construction.
- b). Visited and examined the site of the proposed work and acquired the requisite information relating to or affecting the tender. We are agreed to the decisions of the pre bid meeting by signing and stamping the minutes of the meeting which is enclosed along with this tender.

I/We undersigned hereby offer to construct the proposed work in strict accordance with the contract document for the consideration to be calculated in terms of the priced schedule of quantities.

I/We undertake to complete the whole of the works as per the attached schedule from the date of issue of intimation by you that our tender has been accepted and up on being permitted to enter site. I/We further undertake that on failure, subject to the conditions of contract relating to extension of time, I/We shall be agreed 'Liquidated damages' for the period during which the work shall remain incomplete.

I/We	hereby	deposit	with	you	as	earnest	money		(RUPEES
and I/V	We fail to t	ake up the	contrac	t when	calle	d up on to	do so.	ONLY) [Carryin	g no interest]
Our Ba	ankers are								
1.									
2.									
Place:									
Date:									
								Signature	of the tenderer
								Name of the parts	ners of the firm Or
					Nam	ne of the pe	erson havii	ng power of attorney to si	

SPECIAL CONDITIONS

GENERAL:

SPECIAL CONDITIONS OF CONTRACT shall be read in conjunction with GENERAL CONDITIONS OF CONTRACT and both form an integral part of contract. Where the two are at variance, the conditions stipulated in this as SPECIAL CONDITIONS shall supersede relevant GENERAL CONDITIONS.

1. SPECIAL CONDITIONS:

HELMETS:

As a measure of safety, persons employed on the site, Engineers and Supervisors shall wear a helmet of approved make at all times when they are at the site. No visitors shall be allowed on work site without wearing helmet.

Contractors shall make arrangements to provide safety helmets to all the persons employed on the site, Engineers and Supervisors at his cost.

Contractors shall display safety and warning signs at strategic locations at the site.

CHILD LABOUR:

Contractor or his Sub-contractor shall not employ any child labourers on the work site, either permanently or temporarily. It shall be the responsibility of the main Contractor to make sure that no child labour is employed at the site. Contractor shall indemnify the Employer against any consequences statutory or otherwise, that may arise out of employing child labour on the site.

TEMPORARY ELECTRICAL WIRING:

It shall be the responsibility of the main Contractor to make sure that the temporary wiring for construction activity shall adhere to minimum safety precautions as per Electricity Act. All wires / cables shall be drawn on wooden poles properly fixed and shall be drawn overhead.

2 LABOUR SHEDS:

Labour sheds shall be constructed with non-combustible materials like GI sheets or Asbestos sheets. Contractor will not be permitted to use combustible materials such as palm leaves etc., for the construction of the labour sheds.

3. MATERIALS SUPPLY / PROCUREMENT:

No materials will be supplied by the owner. If any increase on the material procurement cost/ labour, P&M will not be entertained for any kind of escalation till completion of the project.

4. <u>BILLING. CERTIFICATION & PAYMENT OF BILLS:</u>

BILLING:

The contractor shall prepare measured bills after completing the quantum of work as per the standard format and submit the same to the Institute for checking and issue of Certificates for Payment. A proper tax invoice (with breakup of the cost and taxes) shall be submitted and bill shall be settled within 30 days of receipt at IIA.

PAYMENT OF BILLS:

The contractor shall be paid by the Employer from time to time based on the certificate for payment

5. REPAIR OF WORKS DONE BY OTHER AGENCIES:

The civil contractor shall make up any deficiency in the finishing of the areas damaged by other agencies in a workmanlike manner to achieve uniform finishing of the building at no extra cost.

6. <u>MATERIAL TESTS:</u>

The contractor shall provide such assistance, instruments, machines, labour and materials as are normally required for examining, measuring and testing.

The contractor shall install a compression testing machine at site to test concrete cubes and solid blocks.

The contractor shall maintain a record of all the test results in an approved format and periodically submit the same for Architect's/Employer's scrutiny.

7. PLANT & MACHINERY:

The contractor is obliged to furnish to the Employer detailed list of equipment, plant, machinery & personnel proposed to be deployed in this project.

8. CLIENT'S & ARCHITECT'S OFFICES & FACILITIES:

The contractor shall supply, erect and satisfactorily maintain in good repair until final completion of works, a well lighted temporary site office.

The contractor shall provide at all times for the duration of the contract survey instruments for the exclusive use of consultants as directed by consultants for carrying out of his duties in connection with the contract.

Such instruments which must be approved by the Architect, shall include but not limited to the following:

- One theodolite & tripod capable of reading to 20 seconds
- One level with horizontal circle and tripod.
- Two metric leveling staffs not less than 3.5mtr high.
- One 100 metre rustless steel band, one 30 metre rustless steel tape and two 30 metre linen tapes.
- An adequate number of ranging rods drop arrows, wooden setting-out pegs, etc.

The contractor shall be solely responsible for all such instruments and equipment's and shall ensure that they are at all times in good repair and adjustment.

9. SANITATION & DRAINAGE DURING CONSTRUCTION:

The contractor shall provide sanitation and drainage facilities on the site as stated subsequently.

The contractor shall strictly control the labour so that the site is not polluted, made

dirty or littered with debris, wastes or the likes. Any person found creating mess or litter or pollution shall be removed from the site immediately at contractor's cost.

The contractor shall provide sanitation facilities at convenient locations on site to preserve the cleanliness of the site. The effluent shall be directed as follows:

- Waste water : Collection and pumping out and disposal off the site in approved manner.

- Sewage : Septic tank provision - sludge to be collected and disposed off at intervals as directed.

The location of the above provisions shall be as marked on the site mobilization scheme drawing.

10. DISCREPANCIES:

The contractor shall bring to the notice of the Architect any discrepancies within or between contract drawings and/or the other contract documents prior to preparation of working drawings and commencement of work and shall not proceed with work until the Architect gives clarifications and instructions to proceed.

11. REPORTS BY CONTRACTOR:

- 11.1 The contractor shall file daily category-wise labour return. The report shall indicate scheduled requirement against actual strength.
- 11.2 The contractor shall prepare weekly reports of planned and actual progress of work and subsequent week's scheduled work. These will also include material procurement status. These reports shall be submitted to Architect and shall be reviewed during weekly co-ordination meeting.
- 11.3 The contractor shall submit monthly report along with monthly bills.
- 11.4 Further progress charts and schedules shall be prepared by the contractor as directed by the Architect.
- 11.5 The contractor shall submit re-conciliation statement of all the materials supplied by the Client, if any, along with every running &final bill.

LIST	OF	APPRO	VED	MA	CERI/	ALS
				TATT T		

<u>CIVIL</u>

Sl. No.	Material	Make
1	Steel	SAIL – TMT, VIZAG STEEL
2	Cement	ACC/Birla/L&T
3	Acrylic Exterior Emulsion	Asian Paints
4	Plastic Emulsion Paint	Asian Paints
5	Enamel Paint	Asian Paints
6	Aluminium	Jindal, Indal, Hindalco
7	Glass	Saint Gobain, Modi
8	Flush Door	Kutty's Bond Wood, Hunsur Board
9	Vitrified tiles	Nitco/RAK
10	Ceramic tiles	NITCO

WATER SUPPLY AND SANITARY WORKS

Sl.No.	Material	Make
1	PVC	Astral/Ashirvad/Kisan/Supreme
2	CPVC	Astral/Ashirvad/Supreme/Prince
3	Ball valves	Astral/Ashirvad/Hawa /R.B.
4	G.M. non-return valves	Kirloskar/Zoloto
5	PVC Gutters	Kisan/approved equivalent
6	C.P. Fittings	Jaguar/approved equivalent
7	Bathroom accessories	Jaguar/approved equivalent
8	SFRC manhole frame and Covers	Southern Concrete Industries/approved equivalent
9	Kitchen sink	Nirali/ Approved Equivalent
10	Anchor bolts/pipe support system	Hilti / approved equivalent
11	CI Grating & MH frame & cover	NECO/ Approved equivalent

BILL OF QUANTITIES

<u>Bill of Quantities for the work of "Construction of Panel boxes for Radio Antenna and renovation works at Quarters No. 27, 28, 31 & 32 at Kodaikanal Solar Observatory, IIA Kodaikanal"</u>

(NOTE: Rates shall be quoted after reading the complete Specifications and understanding site conditions)

SI.	Description of work	Qty	Unit	Rate (Rs)		Amount (Rs)
No				In Figures	In Words	
A) PA	NEL BOX FOR RADIO ANTENNA					
1	Earth work in surface excavation not exceeding 30 cm in depth but exceeding 1.5 m in width as well as 10 sqm on plan including getting out and disposal of excavated earth up to 50 m and lift up to 1.5 m, as directed by Engineer-in-Charge:					
1.1	All kinds of soil	26	sqm			
2	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift up to 1.5 m, including getting out the excavated soil and disposal of surplus excavated soils as directed, within a lead of 50 m.					
2.1	Ordinary rock	145	cum			
3	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift up to 1.5 m.	140	cum			
4	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level:					
4.1	1:4:8 (1 Cement : 4 coarse sand (zone-III) : 8 graded stone aggregate 40 mm nominal size)	1	cum			

Description of work	Qty	Unit	Rate (Rs)		Amount (Rs)
			In Figures	In Words	
Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement, with 1:1.5:3 (1 cement: 1.5 coarse sand (zone-III): 3 graded stone aggregate 20 mm nominal size).	6	cum			
Centering and shuttering including strutting, propping etc. and removal of form work for :					
Suspended floors, roofs, landings, balconies and access platform	33	sqm			
Columns, piers, abutments, pillars, posts and struts	20	sqm			
Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete					
Thermo-Mechanically Treated bars of grade Fe-500D or more.	345	Kg			
Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes including scaffolding, curing etc; complete all as per specifications in:					
Cement mortar 1:6 (1 cement : 6 coarse sand)	1.5	cum			
Providing and laying 12 mm cement plaster including scaffolding, curing etc. of mix:					
1:4 (1 cement: 4 fine sand)	33	sqm			
1:6 (1 cement: 6 fine sand)	42	sqm			
White washing with lime to give an even shade to walls and ceilings including scaffolding, cleaning the surface, cost of lime powder and gum, etc; complete all as per specifications:					
New work (three or more coats)	72	sqm			
	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement, with 1:1.5:3 (1 cement: 1.5 coarse sand (zone-III): 3 graded stone aggregate 20 mm nominal size). Centering and shuttering including strutting, propping etc. and removal of form work for: Suspended floors, roofs, landings, balconies and access platform Columns, piers, abutments, pillars, posts and struts Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete Thermo-Mechanically Treated bars of grade Fe-500D or more. Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes including scaffolding, curing etc; complete all as per specifications in: Cement mortar 1:6 (1 cement: 6 coarse sand) Providing and laying 12 mm cement plaster including scaffolding, curing etc. of mix: 1:4 (1 cement: 4 fine sand) 1:6 (1 cement: 6 fine sand) White washing with lime to give an even shade to walls and ceilings including scaffolding, cleaning the surface, cost of lime powder and gum, etc; complete all as per specifications:	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement, with 1:1.5:3 (1 cement: 1.5 coarse sand (zone-III) : 3 graded stone aggregate 20 mm nominal size). Centering and shuttering including strutting, propping etc. and removal of form work for : Suspended floors, roofs, landings, balconies and access platform Columns, piers, abutments, pillars, posts and struts Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete Thermo-Mechanically Treated bars of grade Fe-500D or more. Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes including scaffolding, curing etc; complete all as per specifications in : Cement mortar 1:6 (1 cement : 6 coarse sand) Providing and laying 12 mm cement plaster including scaffolding, curing etc. of mix: 1:4 (1 cement: 4 fine sand) 33 1:6 (1 cement: 6 fine sand) White washing with lime to give an even shade to walls and ceilings including scaffolding, cleaning the surface, cost of lime powder and gum, etc; complete all as per specifications :	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement, with 1:1.5:3 (1 cement: 1.5 coarse sand (zone-III): 3 graded stone aggregate 20 mm nominal size). Centering and shuttering including strutting, propping etc. and removal of form work for: Suspended floors, roofs, landings, balconies and access platform Columns, piers, abutments, pillars, posts and struts 20 sqm Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete Thermo-Mechanically Treated bars of grade Fe-500D or more. Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes including scaffolding, curing etc; complete all as per specifications in: Cement mortar 1:6 (1 cement: 6 coarse sand) Providing and laying 12 mm cement plaster including scaffolding, curing etc. of mix: 1:4 (1 cement: 4 fine sand) 33 sqm 1:6 (1 cement: 6 fine sand) White washing with lime to give an even shade to walls and ceilings including scaffolding, cleaning the surface, cost of lime powder and gum, etc; complete all as per specifications:	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement, with 1:1.5:3 (1 cement: 1.5 coarse sand (zone-III): 3 graded stone aggregate 20 mm nominal size). Centering and shuttering including strutting, propping etc. and removal of form work for: Suspended floors, roofs, landings, balconies and access platform Columns, piers, abutments, pillars, posts and struts Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete Thermo-Mechanically Treated bars of grade Fe-500D or more. Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes including scaffolding, curing etc; complete all as per specifications in: Cement mortar 1:6 (1 cement: 6 coarse sand) 1.5 cum Providing and laying 12 mm cement plaster including scaffolding, curing etc. of mix: 1:4 (1 cement: 4 fine sand) 33 sqm 1:6 (1 cement: 6 fine sand) White washing with lime to give an even shade to walls and ceilings including scaffolding, cleaning the surface, cost of lime powder and gum, etc; complete all as per specifications:	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement, with 1:15:31 (zement: 1.5 coarse sand (zone-III): 3 graded stone aggregate 20 mm nominal size). Centering and shuttering including strutting, propping etc. and removal of form work for: Suspended floors, roofs, landings, balconies and access platform Columns, piers, abutments, pillars, posts and struts Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete Thermo-Mechanically Treated bars of grade Fe-500D or more. Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes including scaffolding, curing etc; complete all as per specifications in: Cement mortar 1:6 (1 cement: 6 coarse sand) 1.5 cum Providing and laying 12 mm cement plaster including scaffolding, curing etc. of mix: 1:4 (1 cement: 4 fine sand) 42 sqm White washing with lime to give an even shade to walls and ceilings including scaffolding, cleaning the surface, cost of lime powder and gum, etc; complete all as per specifications:

SI.	Description of work	Qty	Unit	Rate (Rs)		Amount (Rs)
No				In Figures	In Words	
11	Providing and fixing 1mm thick M.S. sheet door with frame of 40x40x6 mm angle iron and 3 mm M.S. gusset plates at the junctions and corners, all necessary fittings, aldrop and tower bolt etc complete, including applying a priming coat of approved steel primer.					
11.1	Using flats 30x6mm for diagonal braces and central cross piece	5	sqm			
12	Providing and fixing hard drawn steel wire fabric 75x25 mm mesh of weight not less than 7.75 Kg per sqm to window frames etc. including 62x19 mm beading of second class teak wood and priming coat with approved steel primer all complete.	1	sqm			
13	Supply and fixing of HDPE pipe for inserting cable in the trench with necessary fittings conforming to IS: 4984 PE 100					
13.1	50 mm outer dia	300	Rmt			
					SUB TOTAL (A)	
B) REI	NOVATION WORKS AT STAFF QUARTERS NO.27, 28, 31 AND 32 Earth work in surface excavation not exceeding 30 cm in depth					
	but exceeding 1.5 m in width as well as 10 sqm on plan including getting out and disposal of excavated earth up to 50 m and lift upto 1.5m, as directed by Engineer-in-Charge:					
1.1	All kinds of soil	10	sqm			
2	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.					
2.1	In mud mortar	2	cum			
3	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.					
3.1	Nominal concrete 1:4:8 or leaner mix (i/c equivalent design mix)	0.3	cum			

SI.	Description of work	Description of work Qty Unit Rate (Rs)			Amount (Rs)	
No				In Figures	In Words	
4	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - incharge.	0.2	cum			
5	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level.					
5.1	Cement mortar 1:3 (1 cement :3 coarse sand)	8	sqm			
6	Providing and laying 12 mm cement plaster including scaffolding, curing etc. of mix:					
6.1	1:4 (1 cement: 4 fine sand)	0.95	sqm			
6.2	1:6 (1 cement: 6 fine sand)	16	sqm			
7	Cement concrete flooring 1:2:4 (1 cement: 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement, including cement slurry, but excluding the cost of nosing of steps etc. complete.					
7.1	40 mm thick with 20 mm nominal size stone aggregate	8	sqm			
8	Cement Finish: 12 mm cement plaster finished with a floating coat of neat cement of mix : (Note: rate inclusive considering the site conditions)					
8.1	1:3 (1 cement: 3 fine sand)	8	sqm			
9	Colour washing such as green, blue or buff to give an even shade etc; to give an even shade to walls, including scaffolding, cleaning the surface, filling the crevices with lime powder, color paste, gum, etc; complete all as per specifications.					
9.1	two or more coats with a base coat of white washing with lime	981	sqm			

SI.	Description of work	Qty	Unit	Rate (Rs)		Amount (Rs)
No				In Figures	In Words	
10	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade including cleaning the surfaces, filling the crevices with approved filler, rubbing the surface to achieve desired smooth surface, scaffolding etc; complete all as per specifications					
10.1	Old work (one or more coats)	170	sqm			
11	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade including cleaning the surfaces and rubbing the surface to achieve desired smooth surface, scaffolding etc; complete all as per specifications					
11.1	Two or more coats on new work	330	sqm			
12	Hacking of CC flooring including cleaning for surface etc. complete as per direction of the Engineer-in-Charge.	81	sqm			
13	FLOOR TILES: Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS: 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement: 4 Coarse sand), jointing with grey cement slurry @ 3.3kg/sqm including pointing the joints with white cement and matching pigment etc., complete.	14	sqm			
14	WALL TILES: Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	67	sqm			

SI.	Description of work	Qty	Unit	Rate (Rs)		Amount (Rs)
No				In Figures	In Words	
15	Providing and fixing 18 mm thick gang saw cut, mirror polished, pre-moulded and pre-polished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels. Note: with necessary opening for sink and gas hole, etc,					
15.1	Granite of any colour and shade					
	Area of slab over 0.50 sqm	8	sqm			
16	Providing and fixing Stainless Steel A ISI 304 (18/8) kitchen sink as per IS: 13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required					
16.1	Kitchen sink with drain board					
	510x1040 mm bowl depth 250 mm	4	each			
17	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. Internal work - Exposed on wall					
17.1	15 mm nominal outer dia Pipes	20	metre			

SI.	Description of work	Qty	Unit	Rate (Rs)		Amount (Rs)
No				In Figures	In Words	
18	Providing and fixing European Water Closet Suite (with polymer cistern) comprising of: A) Best Indian make white glazed vitreous china ware European water closet, with wash down pattern of approved make with trap as mentioned below, conforming to IS: 2556 Part II bearing ISI mark fixed to floor with necessary teak wood plugs, CP brass screws no. 8X37 etc. B) 10 litre capacity approved quality and make polymer low level flushing system with all internal fittings conforming to IS: 7231 fixed to wall with necessary brackets, screws and plugs with matching chromium plated flush bend. C) 15 mm heavy quality flexible PVC inlet connection with CP brass hexagonal check nuts and washers at both ends. D) Black plastic seat and cover of approved make with CP pillar hinges conforming to IS: 2548. E) 15 mm NB CP brass angle - cock/stop cock conforming to IS: 781 of approved make with minimum weight of 400gm on inlet to the cistern. F) 15 mm GI over flow pipe with CP brass mosquito proof jali and check nuts, complete all specified above with approved fittings. (Refer Fig. CED:PH:1.1 of specifications for PH engineering works)					
18.1	with 'S' trap	2	each			

SI.	Description of work	Qty	Unit	Rate (Rs)		Amount (Rs)
No				In Figures	In Words	
19	Construction of Inspection Chamber of internal clear dimensions as mentioned below in 230 mm thick brick masonry using First class country brick walls in CM 1:3 over a bed of 150mm thick CC 1:2:4, plastering with CM 1:2, 12 mm thick on internal, external, exposed top surfaces finished smooth with a floating coat of neat cement, PCC 1:2:4 for benching, channeling, providing and fixing pre-cast RCC M15 frame and cover as mentioned below including cost of necessary steel reinforcement as per drawing, encasing sewers connecting to chamber in PCC 1:2:4, Complete all as specified and directed. (Ref fig no. CED:PH:8.6 of PH engineering specifications) Note: CC 1:2:4 in the above items is by using 20mm graded granite aggregate obtained from approved quarry.					
19.1	450X450X450 mm (with 450X450mm RCC frame and cover)	4	each			
20	Providing, laying and laying jointing unplasticized PVC pipes and specials of working pressure as mentioned below confirming to IS:4985 includin g cost of necessary jointing materials, clamps, labour for excavation of trenches, testing, refilling etc., complete all as per specifications.					
20.1	6 kg/sqcm and 110mm OD	60	meter			
					SUB TOTAL (B)	

ount
_

Grand Total amount in Figures and words		••••••
	••••••	
Date:		
Place:		

Signature of the contractor with seal