



Dated: 14-07-2021

Bid Document

| Bid Details Bid End Date/Time 24-07-2021 11:00:00 Bid Opening Date/Time 24-07-2021 11:30:00 Bid Life Cycle (From Publish Date) 90 (Days) Bid Offer Validity (From End Date) 30 (Days) Ministry/State Name Ministry Of Science And Technology Department Name Department Of Science And Technology (dst) Organisation Name Indian Institute Of Astrophysics (iia) Office Name Bengaluru Total Quantity 57 Layer 2 Access Switch , Fibre Patch Panel (LIU) , Networking/Server Rack , Fiber Optic Patch Cord , CAC Cable for Indoor use , Cat 6 Patch cord , CAT 6 Informatical California (CAT 6 Informatical California) | | |
|--|-------|--|
| Bid Opening Date/Time 24-07-2021 11:30:00 Bid Life Cycle (From Publish Date) 90 (Days) Bid Offer Validity (From End Date) 30 (Days) Ministry/State Name Ministry Of Science And Technology Department Name Department Of Science And Technology (dst) Organisation Name Indian Institute Of Astrophysics (iia) Office Name Bengaluru Total Quantity 57 Layer 2 Access Switch , Fibre Patch Panel (LIU) , Networking/Server Rack , Fiber Optic Patch Cord , CAT 6 Inform | | |
| Bid Life Cycle (From Publish Date) Bid Offer Validity (From End Date) Ministry/State Name Ministry Of Science And Technology Department Name Department Of Science And Technology (dst) Organisation Name Indian Institute Of Astrophysics (iia) Office Name Bengaluru Total Quantity 57 Layer 2 Access Switch , Fibre Patch Panel (LIU) , Networking/Server Rack , Fiber Optic Patch Cord , CAC Cable for Indoor use , Cat 6 Patch cord , CAT 6 Inform | | |
| Bid Offer Validity (From End Date) Ministry/State Name Department Of Science And Technology Department Name Department Of Science And Technology (dst) Organisation Name Indian Institute Of Astrophysics (iia) Bengaluru Total Quantity 57 Layer 2 Access Switch , Fibre Patch Panel (LIU) , Networking/Server Rack , Fiber Optic Patch Cord , CAC Cable for Indoor use , Cat 6 Patch cord , CAT 6 Inform | | |
| Ministry/State Name Department Name Department Of Science And Technology (dst) Organisation Name Indian Institute Of Astrophysics (iia) Bengaluru Total Quantity 57 Layer 2 Access Switch , Fibre Patch Panel (LIU) , Networking/Server Rack , Fiber Optic Patch Cord , CAC Cable for Indoor use , Cat 6 Patch cord , CAT 6 Inform | | |
| Department Name Department Of Science And Technology (dst) Indian Institute Of Astrophysics (iia) Bengaluru Total Quantity 57 Layer 2 Access Switch , Fibre Patch Panel (LIU) , Networking/Server Rack , Fiber Optic Patch Cord , CAC Cable for Indoor use , Cat 6 Patch cord , CAT 6 Inform | | |
| Organisation Name Indian Institute Of Astrophysics (iia) Office Name Bengaluru Total Quantity 57 Layer 2 Access Switch , Fibre Patch Panel (LIU) , Networking/Server Rack , Fiber Optic Patch Cord , CAC Cable for Indoor use , Cat 6 Patch cord , CAT 6 Information | | |
| Office Name Bengaluru 57 Layer 2 Access Switch , Fibre Patch Panel (LIU) , Networking/Server Rack , Fiber Optic Patch Cord , CA Cable for Indoor use , Cat 6 Patch cord , CAT 6 Inform | | |
| Total Quantity 57 Layer 2 Access Switch , Fibre Patch Panel (LIU) , Networking/Server Rack , Fiber Optic Patch Cord , CA Cable for Indoor use , Cat 6 Patch cord , CAT 6 Inform | | |
| Layer 2 Access Switch , Fibre Patch Panel (LIU) , Networking/Server Rack , Fiber Optic Patch Cord , CA Cable for Indoor use , Cat 6 Patch cord , CAT 6 Inform | | |
| Item Category Networking/Server Rack , Fiber Optic Patch Cord , CA Cable for Indoor use , Cat 6 Patch cord , CAT 6 Inform | | |
| Outlet | | |
| MSE Exemption for Years of Experience and Turnover | nd No | |
| Startup Exemption for Years of Experience and Turnover | | |
| Document required from seller OEM Authorization Certificate *In case any bidder is seeking exemption from Expertion Turnover Criteria, the supporting documents to prove eligibility for exemption must be uploaded for evaluating the buyer | e his | |
| Bid to RA enabled No | No | |
| Primary product category Layer 2 Access Switch | | |
| Time allowed for Technical Clarifications during technical evaluation 2 Days | | |
| Evaluation Method Total value wise evaluation | | |

EMD Detail

| Required | No | |
|----------|----|---|
| | | 1 |

ePBG Detail

| Required | No |
|----------|----|

Splitting

Bid splitting not applied.

MII Purchase Preference

| MII Purchase Preference | No |
|---------------------------|-----|
| Mili Fulcilase Fleterence | 100 |

MSE Purchase Preference

| MSE Purchase Preference | Yes |
|-------------------------|-----|

1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.

Layer 2 Access Switch (2 pieces)

| Brand Type Registered Brand | |
|-----------------------------|--|
|-----------------------------|--|

Technical Specifications

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|-----------------------|---|----------------------------------|
| Specification | Type of Switch | Web Managed |
| | Technology | PoE+ |
| | Number of 1G Copper Ports | 24 |
| | Number of 10G Copper Ports | 0 |
| | No. of 1 G SFP Port (Uplink) | 4 |
| | No. of 10 G SFP+ Port (Uplink) | 0 |
| Multi-Gigabit Support | | No |
| | Redundant Power supply (from day one) | Not available |
| | Switching Capacity -Non Blocking (Gbps) | 56 |
| Throughput (MPPS) | | More than 41.7 Or higher |
| | Dedicated Stacking Port/Slot (from day one) | Not available |
| | | |

| Specification | Specification Name | Bid Requirement (Allowed Values) | |
|---------------|---------------------------|----------------------------------|--|
| | Stacking Bandwidth (Gbps) | More than 0.0 Or higher | |
| | PoE Power Budget (Watt) | 193 | |
| | on Site OEM Warranty | 3 | |

| S.No. | Consignee/Reporti ng Officer | Address | Quantity | Delivery Days |
|-------|---------------------------------|--|----------|---------------|
| 1 | C Kathiravan | 561210,Radio Astronomy Field Station Indian Institute of Astrophysics Hossur post, Gauribidanur Taluk Chikkaballapur District Karnataka - 561210 Tel : 91 80- 22541493 | 2 | 15 |

Fibre Patch Panel (LIU) (2 pieces)

| Brand Type | Registered Brand |
|------------|------------------|
|------------|------------------|

Technical Specifications

| Specification | Specification Name | Bid Requirement (Allowed Values) | |
|-------------------------------|-------------------------|----------------------------------|--|
| Dimensions | Height | 44.0 | |
| | Width | 483.0 | |
| | Depth | 222.0 | |
| Design & | | | |
| Specification | Type of patch panel | Flat | |
| | Lan catrgory | Cat6 | |
| | Height Of Patch Panel | 10 | |
| | No\umber Of Ports | 24 | |
| | Adapter | LC | |
| | Material Of Patch Panel | Cold Rolled Steel | |
| Certifications & Approvals | Approvals | Rohs Compliant | |

| S.No. | Consignee/Reporti ng Officer | Address | Quantity | Delivery Days |
|-------|---------------------------------|--|----------|---------------|
| 1 | C Kathiravan | 561210,Radio Astronomy Field Station Indian Institute of Astrophysics Hossur post, Gauribidanur Taluk Chikkaballapur District Karnataka - 561210 Tel : 91 80- 22541493 | 2 | 15 |

Networking/Server Rack (1 pieces)

| Brand Type | Registered Brand |
|------------|------------------|
|------------|------------------|

Technical Specifications

* As per GeM Category Specification

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|----------------|----------------------------------|----------------------------------|
| Specifications | Type of Server Racks | Rack Enclosures |
| | Size of Server Rack Enclosure | 6U |
| | Depth of the Rack (mm) | Upto 800 |
| | Front glass Door | Yes |
| | Warranty (Years) | 5 |

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporti ng Officer | Address | Quantity | Delivery Days |
|-------|---------------------------------|--|----------|---------------|
| 1 | C Kathiravan | 561210,Radio Astronomy Field Station Indian Institute of Astrophysics Hossur post, Gauribidanur Taluk Chikkaballapur District Karnataka - 561210 Tel : 91 80- 22541493 | 1 | 15 |

Fiber Optic Patch Cord (10 pieces)

| Brand Type | Registered Brand |
|------------|------------------|
|------------|------------------|

Technical Specifications

* As per GeM Category Specification

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|---------------|---|--|
| GENERIC | Connector type, Connector End A | LC |
| | Connector type, Connector End B | LC |
| | Cable type | Duplex |
| | Fiber type | Single Mode 9/125 micron |
| | Cable Size, Outer dia (in mm) | 2 |
| | Cord Length (in m) | 3 |
| | Jacket material (Sheath material) | LSZH |
| | Cable color | Yellow |
| | Operating temprature | -20 deg.C to +60 deg C |
| CONSTRUCTION | Connector Insertion loss, Max. (in dB) | 0.3 |
| | Connector Return loss , Min. (in dB) | 50 |
| | Material of Ferrule | Zirconia Ceramic, PreRadiused and pre polished |
| | Durability | 1000 Mating cycle |

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporti ng Officer | Address | Quantity | Delivery Days |
|-------|---------------------------------|--|----------|---------------|
| 1 | C Kathiravan | 561210,Radio Astronomy Field Station Indian Institute of Astrophysics Hossur post, Gauribidanur Taluk Chikkaballapur District Karnataka - 561210 Tel : 91 80- 22541493 | 10 | 15 |

Fiber Optic Patch Cord (10 pieces)

| Brand Type | Registered Brand |
|------------|------------------|

Technical Specifications

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|---------------|---|--|
| GENERIC | Connector type, Connector End A | LC |
| | Connector type, Connector End B | SC |
| | Cable type | Duplex |
| | Fiber type | Single Mode 9/125 micron |
| | Cable Size, Outer dia (in mm) | 2 |
| | Cord Length (in m) | 3 |
| | Jacket material (Sheath material) | LSZH |
| | Cable color | Yellow |
| | Operating temprature | -20 deg.C to +60 deg C |
| CONSTRUCTION | Connector Insertion loss, Max. (in dB) | 0.3 |
| | Connector Return loss , Min. (in dB) | 50 |
| | Material of Ferrule | Zirconia Ceramic, PreRadiused and pre polished |
| | Durability | 1000 Mating cycle |

| S.No. | Consignee/Reporti ng Officer | Address | Quantity | Delivery Days |
|-------|---------------------------------|--|----------|---------------|
| 1 | C Kathiravan | 561210,Radio Astronomy Field Station Indian Institute of Astrophysics Hossur post, Gauribidanur Taluk Chikkaballapur District Karnataka - 561210 Tel : 91 80- 22541493 | 10 | 15 |

CAT 6 Cable For Indoor Use (2 meter)

| Brand Type | Registered Brand |
|------------|------------------|
| 1 | • |

Technical Specifications

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|----------------|---|----------------------------------|
| GENERIC | Cable category: Category 6 Unshielded/Unshielded twisted pair or Category 6 Foiled/Unshileded twisted pair or Category 6 Shielded /Foiled Twisted Pair | CAT6 U/UTP |
| | Cable colour | Grey |
| | Conductor diameter | 0.57 mm (23 AWG) |
| | Length of cable in a bundle (Mtrs) | 305 mtrs. |
| CONSTRUCTIONAL | Cable jacket material | Fire retardant PVC |
| CERTIFICATIONS | UL Marking on Cable | No |

| S.No. | Consignee/Reporti ng Officer | Address | Quantity | Delivery Days |
|-------|---------------------------------|--|----------|---------------|
| 1 | C Kathiravan | 561210,Radio Astronomy Field Station Indian Institute of Astrophysics Hossur post, Gauribidanur Taluk Chikkaballapur District Karnataka - 561210 Tel : 91 80- 22541493 | 2 | 15 |

Cat 6 Patch Cord (10 meter)

| Brand Type | Degistered Brand |
|------------|------------------|
| Brand Type | Registered Brand |

Technical Specifications

| Specification | Specification Name | Bid Requirement (Allowed Values) | |
|----------------|--|--------------------------------------|--|
| GENERIC | Patch cord type : Category 6 Unshielded/Unshielded twisted pair or Category 6 Foiled/Unshileded twisted pair | CAT6 F/UTP | |
| | Patch cord colour | Grey | |
| | Length of Patch cord (Mtrs) | 3.0 | |
| CONSTRUCTIONAL | Termination type / Connection type | Insulation Piercing Connection (IPC) | |
| | | | |

| Specification | Specification Name | Bid Requirement (Allowed Values) | |
|-----------------------------------|---------------------|----------------------------------|--|
| Cable jacket material | | Low Smoke zero halogen (LSZH) | |
| Storage temperature range -20 deg | | -20 deg.C to +60 deg.C | |
| Operating temperature range | | -20 deg.C to +60 deg.C | |
| CERTIFICATIONS | UL Marking on Cable | Yes | |

| S.No. | Consignee/Reporti ng Officer | Address | Quantity | Delivery Days |
|-------|---------------------------------|--|----------|---------------|
| 1 | C Kathiravan | 561210,Radio Astronomy Field Station Indian Institute of Astrophysics Hossur post, Gauribidanur Taluk Chikkaballapur District Karnataka - 561210 Tel : 91 80- 22541493 | 10 | 15 |

CAT 6 Information Outlet (20 pieces)

| Inegistered brand | Brand Type | Registered Brand |
|-------------------|------------|------------------|
|-------------------|------------|------------------|

Technical Specifications

* As per GeM Category Specification

| Specification | Specification Name | Bid Requirement (Allowed Values) | |
|-----------------------|---|----------------------------------|--|
| GENERIC | Type of information outlet | U/UTP (Unshielded) | |
| | No. of ports (RJ 45) | Dual port | |
| | Dust protection for Face Plate or Information Outlet | Yes | |
| Back Box (3x3 inches) | | Yes | |
| | Termination type | With tool | |

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporti ng Officer | Address | Quantity | Delivery Days |
|-------|---------------------------------|--|----------|---------------|
| 1 | C Kathiravan | 561210,Radio Astronomy Field Station Indian Institute of Astrophysics Hossur post, Gauribidanur Taluk Chikkaballapur District Karnataka - 561210 Tel : 91 80- 22541493 | 20 | 15 |

Buyer Added Bid Specific Additional Terms and Conditions

- 1. Scope of supply (Bid price to include all cost components) : Only supply of Goods
- 2. The buyer organization is an institution eligible for concessional rates of GST as notified by the Government of India. The goods for which bids have been invited fall under classification of GST concession and the conditions for eligibility of concession are met by the institution. A certificate to this effect will be issued by Buyer to the Seller after award of the Contract. Sellers are requested to submit their bids after accounting for the Concessional rate of GST.

Applicable Concessional rate of GST: 5%

Notification No.and date: 47/2017 dated 14/11/2017

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

This Bid is also governed by the General Terms and Conditions

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---