

**INDIAN INSTITUTE OF ASTROPHYSICS**

**2<sup>ND</sup> BLOCK, KORAMANGALA,**

**BENGALURU – 560034.**

**TENDER DOCUMENT**

*Name of Work:* **RAINWATER HARVESTING SYSTEM AT IIA,  
KORAMANGALA CAMPUS, BENGALURU.**

**Tender Notice No.: 32/IIA/CIVIL/BANG/2019-20 Dated 13.01.2020**

**INDIAN INSTITUTE OF ASTROPHYSICS**

**Ph.080-2554 1200/1259/1359 , Fax: 25534043      Website: [www.iiap.res.in](http://www.iiap.res.in)**



**INDIAN INSTITUTE OF ASTROPHYSICS**

**2<sup>ND</sup> BLOCK, KORAMANGALA,**

**BENGALURU-560 034**

**Tender Notice No.: 32/IIA/CIVIL/BANG/2019-20 Dated 13.01.2020**

The Director, Indian Institute of Astrophysics invites sealed item rate tenders in the prescribed format for the following work from appropriate registered contractors in state PWD, CPWD, MES, Scientific institutions and private body contractors who have executed works of similar nature.

<b>Sl. No.</b>	<b>Name of the work</b>	<b>Estimated cost (Including all taxes) in Rs.</b>	<b>Time for completion</b>	<b>EMD Rs.</b>	<b>Cost of tender document Rs.</b>
1.	<b>Rainwater Harvesting System at IIA, Koramangala Campus, Bengaluru.</b>	25,38,000 /-	07 months	51,000/-	1,000/-

The Tender Document can be viewed and downloaded from our website [www.iiap.res.in/tenders.htm](http://www.iiap.res.in/tenders.htm). The interested tenderers may at their option download the same, as **“NO” hard copies of Tender document shall be provided from this office** and submit their offers along with EMD (refundable) & Tender fee (non-refundable) prescribed therein, only in the form of Demand Draft drawn in favor of **“Indian Institute of Astrophysics”** payable at Bangalore. The DD shall be valid for a period of forty five (45) days beyond the date of opening of bids.

The Offers containing complete tender document duly filled with price (Bill of Quantities) and complete credentials including experience certificates should be submitted in sealed cover superscribing the envelope with **“Rainwater harvesting system at IIA, Koramangala campus, Bengaluru”**. Notice No. and due date”, shall be submitted addressed to **The Director, Indian Institute of Astrophysics, 2<sup>nd</sup> Block, Koramangala, Bengaluru– 560 034. The last date of submission of bid is 10.02.2020 on or before 15:00 hrs.** The bids will be **opened at 15:30 hrs on the same day** in the presence of attending tenderers or their authorized representatives.

**ELIGIBILITY CRITERIA**

The firms who fulfill the following requirements shall be eligible to submit their bids. Joint ventures are not acceptable.

- (i) Tendering Company shall be professionally managed and resourceful for taking up similar jobs.

(ii) The experience of having successfully completed similar work during last 5 years as on 31.12.2019 should be either of the following:

a) Three similar completed works costing not less than the amount equal to 40% of the estimated cost.

OR

b) Two similar completed works costing not less than the amount equal to 50% of the estimated cost.

OR

c) One similar completed work costing not less than the amount equal to 80% of the estimated cost.

(iii) The tenderer should have **executed similar construction of works at Karnataka region.**

#### **Documentary Proof for Eligibility**

Self attested/certified copy of work orders and completion certificates issued by the authority concerned to establish work experience shall be attached to the tender document. Copies of the Income Tax Returns along with Financial Statements such Balance Sheet, P&L Account etc for the last 3 Financial Years shall be attached to the tender document.

Valid Contract License issued by the competent authority shall be enclosed.

#### **OTHER CONDITIONS**

1. Technical & price Bids supported by the above information should be submitted in a Sealed envelope duly super scribed with the name of work, tender notice No., Last date of submission. The completed Bids will be received by this office **up to 15:00 Hrs. on 10.02.2020**
2. If any information furnished by the tenderers is found incorrect at a later stage, the firm shall be liable to be debarred from tendering and taking up of work in I.I.A. The Institute reserves the right to verify the particulars furnished by the tenderers.
3. The firms should submit their offers along with EMD/Tender fee of prescribed amount up to **15:00 Hrs. on 10.02.2020.**
4. Incomplete Technical Bids are liable for rejection.
5. Late & / delayed offer will not be considered.
6. IIA is not responsible for any delay / loss of documents in transit.
7. The Tenders will be opened **on 10.02.2020 at 15:30** hours at **I.I.A, Bengaluru** in the presence of bidders or their authorized representatives. The representatives of the tenderers should bring authorization letter / identification while attending for opening of the tenders.
8. IIA reserves the right to reject any or all tenders without assigning any reasons.

Administrative Officer  
IIA, Bengaluru-34

**INDIAN INSTITUTE OF ASTROPHYSICS**  
2<sup>nd</sup> Block, Koramangala, Bengaluru-560 034

**Tender Notice No.: 32/IIA/CIVIL/BANG/2019-20 Dated 13.01.2020**

M/s.

Dear Sir,

The Director, Indian Institute of Astrophysics, Bengaluru invites Sealed Tenders for the work of “**Rainwater harvesting system at IIA, Koramangala campus, Bengaluru**”. The Tender Terms enclosed herewith may be noted carefully. If you are in a position to quote for the work in accordance with the requirement, please submit your quotation in the attached Tender Form.

Your Tender must reach this office on or before the date and time indicated in the Tender Schedule.

Thanking you,

Yours faithfully,

Encl: as above.

Administrative Officer  
for Director

### 3. INSTRUCTIONS TO THE TENDERERS

1. The tenderers should submit the entire tender document with duly filled with price and technical details of the firm. All the pages of document shall be duly signed.
2. **The rates quoted by the tenderer in the schedule shall be inclusive of all taxes and levies. Such rates should provide the break-up of the cost and applicable taxes, levies etc.**
3. The Offers should be submitted in sealed envelope superscribed with “Tender for **“Rainwater harvesting system at IIA, Koramangala campus, Bengaluru”**, Notice No. and due date”.
4. If any clarification is required should be obtained before filling Tender Document.
5. If any discrepancy is there between figures and words for quoted rates, the lower of the two will be considered for the purpose of evaluation.
6. The tenderers who do not fulfill all or any of the tender conditions or if the tender is Incomplete in any respect, will be summarily rejected.
7. The Institute is not bound to accept the lowest tender.
8. Even though the Tenderers meet the above criteria, they are subject to be disqualified if they have (The Institute reserves the right to verify the particulars furnished by the tenderers.)
  - Made misleading or false representations in the forms, statements and attachments submitted in proof of the qualification requirement, Conditional bid / proposal: and / or
  - Record of poor performance such as abandoning the works, not properly completing the contract, inordinate delays in completion, litigation history, or financial failures etc.
9. Any effort by the contractor to influence the client in the bid evaluation, bid comparison or contract award decision results in rejection of the contractors bid.
10. Financial offer will be considered if the bidders fulfill all the technical and financial eligibility criteria as per tender.
11. Late & / delayed offer will not be considered at all.
12. IIA is not responsible for any delay / loss of documents in transit.
13. No bids will be considered if prescribed Tender Fee and EMD are not found with the bid.
14. All overwriting and corrections shall be duly attested with stamp & signature.
15. Corrigendum's / modifications / corrections, if any, will be published in the website only.
16. The Director, Indian Institute of Astrophysics reserves the right to accept or reject the tenders in full or part without assigning any reason thereof.
17. Performance certificates of the completed works issued by the clients to be enclosed in the technical bid.

18. The committee constituted by the Director may inspect the previously completed or the ongoing works of the bidders to assess their technical suitability for the tendered work.
19. All the pages of the tender document to be signed by the contractor and submit them in the respective sealed covers.
20. The successful contractor will have to execute an Agreement with the Institute within 21 days of receipt of Letter of Intent / Work Order.
21. **All the bidders are requested to visit the site before quoting the rates. The complete document shall be read and understood in all respect. If any clarification is required, the same may got cleared before submitting their offers in writing by contacting the following person:**

Mr. M.V.Ramaswamy

Ph. No. 080-2254 1207

E-mail.: [mramaswamy@iiap.res.in](mailto:mramaswamy@iiap.res.in)

\*\*\*\*\*

**INDIAN INSTITUTE OF ASTROPHYSICS**

**2<sup>ND</sup> BLOCK, KORAMANGALA,**

**BENGALURU – 560034.**

*Name of Work:* **“Rainwater harvesting system at IIA,  
Koramangala campus, Bengaluru”**

**Tender Notice No.: 32/IIA/CIVIL/BANG/2019-20 Dated 13.01.2020**

Name of

The Firm: \_\_\_\_\_

Address: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Phone No: \_\_\_\_\_

**Last date for submission: 10.02.2020 up to 15:00 hrs**

**FORMAT FOR SUBMISSION OF TECHNICAL & ORGANISATIONAL DETAILS.**

**NAME OF THE FIRM :**

**1. OFFICE SET UP OF THE FIRM**

1.1 Office Address:

.....  
.....

1.2 Year of Establishment:

1.3 Contact Person Shri .....

With Designation .....

Ph No.....

Fax No.....

E-mail.....

1.4 Details of registration if any: .....

.....

1.5 Organizational setup of the firm

Total staff strength both technical

And Administration with their name, age

qualification and experience : .....

1.6 PAN (photocopy to be enclosed) .....

GSTIN No (photocopy to be enclosed) .....

1.7 Details of the staff as per the following format.

Sl. No	Profession/discipline	Name	Age	Qualification	Experience (total years)	Field of experience
	Civil					

## **2 TENDERER'S EXPERIENCE**

Details of Works carried out and on hand during last five years with details such as name of work, year of completion, client name and address, cost of work, time period of construction, nature of work, etc., (It shall enclose a certificate from the owner that the service rendered by the firm has been satisfactory)

Sl. No.	Name & description of work	Value of work and date.	Period of construction and date.	Client persons to whom reference may be made.

### **3. TOOLS AND EQUIPMENT LIST**

The tenderer shall indicate herein below the equipment he has in possession and the equipment he proposes to bring to the site, in case the work is awarded to him.

Sl. No	Type and Description of the equipment.	Numbers the bidder has in possession	Numbers he proposes to bring on to site

Tenderers hereby confirms that the quantity and type of tools he will employ for construction will not be less than those listed above and agree to bring more equipment if so warranted in the opinion of the Engineer-in-charge.

**4. FINANCIAL**

Bank Name: \_\_\_\_\_

Branch: \_\_\_\_\_

Account No.: \_\_\_\_\_

Average Annual Turnover for last 5 Years: \_\_\_\_\_

**5. INSURANCE**

Accident Insurance

Insured with: \_\_\_\_\_

Policy No.: \_\_\_\_\_

6. Details of Arbitration cases : .....

7. Any other detail you would like to  
intimate in support of your technical bid  
for appointment : .....

Signature of the authorized

Person with seal of the firm

(Note: Attach separate sheet for furnishing information in case the space in the format is insufficient)

**INDIAN INSTITUTE OF ASTROPHYSICS**  
**2<sup>ND</sup> BLOCK, KORAMANGALA,**  
**BENGALURU – 560034.**

**PRICE BID**

***Name of Work:* “Rainwater harvesting system at IIA, Koramangala campus,  
Bengaluru”**

**Tender Notice No.: 32/IIA/CIVIL/BANG/2019-20 Dated 13.01.2020**

Name of

The Firm: \_\_\_\_\_

Address: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Phone No: \_\_\_\_\_

**Last date for submission: 10.02.2020 at 15:00 hrs**

# **Tender for the “Rainwater harvesting system at IIA, Koramangala campus, Bengaluru”**

## **Conditions of contract.**

Sealed item rate tenders are invited by Indian institute of Astrophysics for the above mentioned work

Estimated cost : **Rs 25,38,000.00 (Rs. Twenty five lakhs thirty eight thousand only).**

Time of completion : **7 months.**

Period of commencement : 7 days from the date of receipt of work order

Retention money/Security Deposit : 5% to be deducted from each RA bill and final bill, shall be released after one year of completion of work, deducting the cost, if any, towards the cost of defects rectified by employer due to lack of response of the contractor on completion of defects liability period and on certification by the engineer –in charge.

Defects liability period : 12 Months.

Amount of liquidated damage : Liquidated Damages will be deducted from the bill amount while making final payment for delay in completion of work if any, as per the extant rules of the CPWD.

Escalation : In view of the short duration of the contract, no escalation will be paid to the contractor on account of changes in the market prices of any items of work or changes in the cost of living indices etc.

Tax deduction at source : Statutory taxes will be deducted while making payment from time to time as applicable.

The Director, Indian institute of Astrophysics reserves the right to reject any or all the tenders without assigning any reason whatsoever.

The tenderer shall be responsible for arranging and maintaining at his own cost all **materials, tools and plants, water, electricity**, facilities **for workers, safety norms** and all other services required for executing the work.

Timely completion of work and quality of workmanship are of prime importance and the work shall be completed within the stipulated period. Cement consumption must match with standard theoretical calculations. Recovery to be effected in the event of not fulfilling the cement consumption. The waterproofing is the main work for which five year performance guarantee need to be provided by the applicator.

I/ We have read the tender notice, specifications, schedule, drawings, general rules and all other contents of the tender conditions, and understand that you are not bound to accept the lowest or any tender you may receive.

I/ we hereby tender for the execution for the work specified above within the time specified above, at the rates specified in the attached bill of quantities and in all respects with these specifications, design, drawings and instructions.

I/we agree that should I/we fail to commence the work specified in the above memorandum an amount equal to amount of earnest money mentioned in the form of invitation of tender shall be absolutely forfeited to the Director.

**Dated: -----**

**Signature of the contractor with stamp**

## General conditions of contract.

### Item rate tender for works.

- ❑ The institute reserves the right to alter the scope /or reduce quantum of work before issue of work order and the contractor shall not have any claim what so ever on this account.
- ❑ Rates quoted by the contractor in item rate tender in figures and words shall be accurately filled in so that there is no discrepancy in the rates written in figures and words. However if a discrepancy is found, the rates which correspond with the words worked out by the contractor shall be taken as correct.
- ❑ If the amount of an item is not worked out properly by the contractor or it does not correspond with the rate written either in figures or words, then the rate quoted by the contractor in the words shall be taken as correct.
- ❑ When the **rates quoted by the contractor in figures and in words** tally but the amount is not worked out correctly the rate quoted in words by the contractor will be taken as correct and not the amount.
- ❑ The contractor shall take all precautionary measures to prevent entry of dust, dirt and noise pollution to the adjacent buildings and keep the premises neat and tidy, remove surplus materials and rubbish and shall not cause inconvenience to the staff of IIA. If the contractor or his working people or servants shall break, deface, injure or destroy any part of a building in which they may be working or any buildings, road, kerbs, fence, enclosure, water pipes cables, drains, electric and telephone posts or wire, trees grass or garden. The cost of any such damage and risks arising out of this shall be entirely borne by the contractor.
- ❑ A bill shall be submitted by the contractor each month on or before the date fixed by the Engineer- in charge. All the measurements of the work may be recorded jointly by the Engineer-in charge and the contractor or their respective representatives. The measurements will be taken at site, as per latest IS code of practice for measurements. All measurements shall be taken with steel tapes only.
- ❑ The Engineer- in -Charge shall have full powers to the removal from the premises of all materials and bad workmanship, which in his opinion are not in accordance with the specifications.

- The Engineer –in- Charge may require the contractor to dismiss or remove from the site of the work any person or persons in the contractors employ upon the work who may be in competent or misconduct himself.
  
- For working on Sundays, holidays and late hours prior permission will be accorded by the Engineer-in charge on the application made by the contractor.
  
- All works to be executed under the contract shall be executed under the direction and subject to the approval in all respects of the Engineer-in charge who shall be entitled to direct at what point or points and in what manner they are to be commenced and from time to time carried on.
  
- The contractor shall treat all materials obtained during dismantling of a structure, excavation of the site for a work etc as institute’s property and such materials shall be disposed off to the best advantage of the institute.
  
- The contractor shall execute the whole and every part of the work in the most substantial and workman like manner and in strict accordance with the specifications of the CPWD / DOS / Bureau of Indian Standards. In case of any class of work for which there is no such specifications the contractor shall carry out the work in all respects in accordance with the instructions in writing of the Engineer- in charge.
  
- The Engineer-in charge shall have powers to make any alterations in, omissions from, additions to or substitutions for the original specifications, drawings, designs and instructions that may appear to him necessary or advisable during the progress of the work and the contractor shall carry out the work in accordance. The rates for such additional, altered or substituted items of work shall be worked out in accordance with the standard procedure followed in CPWD / DOS.
  
- If at any time after the commencement of the work, the Director shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out, the Engineer- in-Charge shall give notice in writing of the fact to the contractor who shall have no claim to payment of compensation whatsoever on account of any profit or advantage which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work not having been carried out, neither shall he have any claim for compensation by reason of any alterations having been made in the original specifications , drawings ,designs and instructions which shall involve any curtailment of the work as originally contemplated.

- ❑ The contractor shall obtain a valid license under the Contract Labour (R&A) act 1970 and the contract labour (Regulation & Abolition) central rules, 1971 before the commencement of the work and continue to have a valid license until the completion of the work. No labour below the age of eighteen years shall be employed on the work. The contractor shall pay to labour employed by him either directly or through sub contractors, wages not less than fair wages as defined in the provision of the contract labour (R&A) act 1970 and the contract labour (R&A) central rules 1971 wherever applicable.
  
- ❑ The contractor shall at his own expenses arrange for the safety provision as per safety code framed from time to time and shall at his own expenses provide for all facilities in connection therewith.
  
- ❑ The contractor shall comply with all the provisions of the payment of wages act 1936, Minimum Wages Act 1948, Employees liability act 1938, Workmen's Compensation act 1923, Industrial Disputes Act 1961 and the Contractors Labour (R&A) Act 1970 or the modifications thereof or any other laws relating thereto and the rules made there under from time to time. The regulations aforesaid shall be deemed to be a part of this contract and any breach thereof shall be deemed to be a breach of this contract. Security deposit will not be refunded till clearance certificate from Labour Officer is obtained by contractor.
  
- ❑ The contractor shall make his /their own arrangements for water required for the works and nothing extra will be paid for the same, as the water available from the institute source may not be sufficient to meet the construction.
  
- ❑ The contractor shall have all the tools and plants necessary to carry out the work such as concrete mixer, vibrator and hoist. The contractor shall employ one graduate engineer during the execution of the work
  
- ❑ Certified plumbers should be employed by the contractor on the plumbing and sanitary work.
  
- ❑ The standard sectional weights referred to as standard tables in para 5.3.4 (table no. 5.4) in CPWD specifications for works 2009 vol. 1 to be considered for conversion of length of various sizes of M.S bars and tor steel bars in to weight.
  
- ❑ The entire work is to be completed within the period stipulated i.e. **07 (seven) months** from the 7<sup>th</sup> day of issue of Letter of Intent/Work Order. The period includes monsoon period also. Time shall be the essence of the contract. After the work awarded, the contractors shall furnish detailed time schedules for the approval of the Engineer-in charge which after approval shall form part of the contract and are to be strictly adhere to.
  
- ❑ The maintenance period for the work shall be twelve (12) months and any defects noticed during the period shall have to be rectified by contractor at his cost, failing which the action taken for maintenance Engineer-in charge shall be final over which the contractor will not have any claim.

- ❑ The contractor shall extend all co-operations to the contractors executing works such as electrical, air conditioning etc who might be working at the site and shall permit to use scaffolding etc already put up by him.
- ❑ The Engineer-in charge will have the right to get any item of the work included in this tender or not executed through other agencies. Schedule of probable quantities in respect of the work and specifications are enclosed. The schedules of probable quantities are liable to alterations by emission, deduction or additions at the discretion of the Engineer-in charge.
- ❑ The rates quoted by the tenderer in the schedule shall be inclusive of all taxes and levies. Such rates should provide the break-up of the cost and applicable taxes, levies etc.
- ❑ Samples of all materials to be incorporated in the works shall be submitted to the Engineer-in charge for his approval without claiming any extra cost. Materials not confirming strictly to the samples are liable to be rejected.
- ❑ The employment of any sub-contractors will be subjected to the approval of the Engineer-in-charge. If at any time during the progress of the work the Engineer-in charge determines that any sub-contractor is incompetent or undesirable the contractor shall take steps immediately to cancel such sub-contractor. The contractor shall be entirely responsible for all the work included in the contract whether executed by him or through his sub-contractors. In particular it may be noted that the contractor shall obtain steel doors and windows from a reputed manufacturer and before placing order for these, the contractor shall obtain the concurrence of the department for the agency from whom he proposes to obtain steel doors and windows.
- ❑ The contractor shall prepare a CPM / PERT /BAR chart/ detailed estimate programme within a week's time of issue of Work Order.
- ❑ All materials and articles brought by the contractor to the work site shall have to be declared at the security gate. Similarly no materials shall be taken out from the departmental premises without proper gate pass which will be issued by the Engineer-in charge.
- ❑ Unless otherwise provided in the schedule of quantities the rates tendered by the contractor shall be all inclusive and shall apply to all heights, lifts, leads and depths of the building and nothing extra shall be payable to him on this account.
- ❑ Sample of various materials required for testing shall be provided free of charge by the contractor. Testing charges, if any unless otherwise provided, shall be borne by the department. All other expenditure required to be incurred for taking the samples, conveyance, packing etc. shall be borne by contractor himself. In case of concrete and reinforced concrete work, the contractor shall be required to make arrangement for carrying out compression strength tests at his own cost including preparation of cubes curing etc. complete.
- ❑ For the purpose of recording measurements and preparing running account bills, the abbreviated nomenclature shall be accepted along with the item number.

- The contractor shall along the tender submit a schedule of machinery to be used on the work in support of his assurance to adhere to the time schedule specified in the proform given.
  
- I /We declare that the work will be carried out as per the specifications in tender document and as per the specifications said above. The items of work not covered in the specifications said above will be carried out as per the specifications in the relevant CPWD specifications, and if not covered in CPWD specifications the work will be carried out as in the relevant IS specifications, and if not covered in the any of the above, the work will be carried out as directed in writing by the Engineer- in charge.
  
- I / We declare that the rates quoted by me/us are on the basis of the above.

**Dated: -----**

**Signature of the contractor with stamp**

## **TENDER FORM**

To,

The Director,  
Indian institute of Astrophysics,  
Koramangala,  
Bengaluru - 560034

Dear Sir,

**Sub: Tender for project: “Rainwater harvesting system at IIA, Koramangala campus, Bengaluru”**

With reference to the tender invited by you for the above proposed work, I/we write this after having:

- a). Examined the designs, drawings, detailed specifications to tenders, sample agreement, the general conditions of contract and special conditions of contract annexed there to (here in after called ‘the contract documents’) relating to construction.
- b). Visited and examined the site of the proposed work and acquired the requisite information relating to or affecting the tender. We are agreed to the decisions of the pre bid meeting by signing and stamping the minutes of the meeting which is enclosed along with this tender.

I/We undersigned hereby offer to construct the proposed work in strict accordance with the contract document for the consideration to be calculated in terms of the priced schedule of quantities.

I/We undertake to complete the whole of the works as per the attached schedule from the date of issue of intimation by you that our tender has been accepted and up on being permitted to enter site. I/We further undertake that on failure, subject to the conditions of contract relating to extension of time, I/We shall be agreed ‘Liquidated damages’ for the period during which the work shall remain incomplete.

I/We hereby deposit with you as earnest money **Rs..... (RUPEES**  
**.....ONLY) [Carrying no interest]**  
and I/We fail to take up the contract when called up on to do so.

Our Bankers are

1.

2.

Place:

Date:

Signature of the tenderer  
Name of the partners of the firm  
Or  
Name of the person having power of attorney to sign the contract

## **SPECIAL CONDITIONS**

### **GENERAL:**

**SPECIAL CONDITIONS OF CONTRACT shall be read in conjunction with GENERAL CONDITIONS OF CONTRACT and both form an integral part of contract. Where the two are at variance, the conditions stipulated in this as SPECIAL CONDITIONS shall supersede relevant GENERAL CONDITIONS.**

### **1. SPECIAL CONDITIONS:**

#### **HELMETS :**

As a measure of safety, persons employed on the site, Engineers and Supervisors shall wear a helmet of approved make at all times when they are at the site. No visitors shall be allowed on work site without wearing helmet.

Contractors shall make arrangements to provide safety helmets to all the persons employed on the site, Engineers and Supervisors at his cost.

Contractors shall display safety and warning signs at strategic locations at the site.

#### **CHILD LABOUR:**

Contractor or his Sub-contractor shall not employ any child labourers on the work site, either permanently or temporarily. It shall be the responsibility of the main Contractor to make sure that no child labour is employed at the site. Contractor shall indemnify the Employer against any consequences statutory or otherwise, that may arise out of employing child labour on the site.

#### **TEMPORARY ELECTRICAL WIRING:**

It shall be the responsibility of the main Contractor to make sure that the temporary wiring for construction activity shall adhere to minimum safety precautions as per Electricity Act. All wires / cables shall be drawn on wooden poles properly fixed and shall be drawn overhead.

### **2. LABOUR SHEDS:**

Labour sheds shall be constructed with non-combustible materials like GI sheets or Asbestos sheets. Contractor will not be permitted to use combustible materials such as palm leaves etc., for the construction of the labour sheds.

### **3. MATERIALS SUPPLY / PROCUREMENT:**

No materials will be supplied by the owner. If any increase on the material procurement cost/ labour, P&M will not be entertained for any kind of escalation till completion of the project.

### **4. BILLING. CERTIFICATION & PAYMENT OF BILLS:**

#### **BILLING:**

The contractor shall prepare measured bills after completing the quantum of work as per the standard format and submit the same to the Institute for checking and issue of Certificates for Payment. A proper tax invoice (with breakup of the cost and taxes) shall be submitted and bill shall be settled within 30 days of receipt at IIA. Running account bills shall be prepared and submitted and payment is subject to consideration of the engineer in Charge/IIA.

**PAYMENT OF BILLS:**

The contractor shall be paid by the Employer from time to time based on the certificate for payment

**5. REPAIR OF WORKS DONE BY OTHER AGENCIES:**

The civil contractor shall make up any deficiency in the finishing of the areas damaged by other agencies in a workmanlike manner to achieve uniform finishing of the building at no extra cost.

**6. MATERIAL TESTS:**

The contractor shall provide such assistance, instruments, machines, labour and materials as are normally required for examining, measuring and testing.

The contractor shall install a compression testing machine at site to test concrete cubes and solid blocks.

The contractor shall maintain a record of all the test results in an approved format and periodically submit the same for Architect's/Employer's scrutiny.

**7. PLANT & MACHINERY:**

The contractor is obliged to furnish to the Employer detailed list of equipment, plant, machinery & personnel proposed to be deployed in this project.

**8. CLIENT'S & ARCHITECT'S OFFICES & FACILITIES:**

The contractor shall supply, erect and satisfactorily maintain in good repair until final completion of works, a well lighted temporary site office.

The contractor shall provide at all times for the duration of the contract survey instruments for the exclusive use of consultants as directed by consultants for carrying out of his duties in connection with the contract.

Such instruments which must be approved by the Architect, shall include but not limited to the following:

- One theodolite & tripod capable of reading to 20 seconds
- One level with horizontal circle and tripod.
- Two metric leveling staffs not less than 3.5mtr high.
- One 100 metre rustless steel band, one 30 metre rustless steel tape and two 30 metre linen tapes.
  
- An adequate number of ranging rods drop arrows, wooden setting-out pegs, etc.

The contractor shall be solely responsible for all such instruments and equipment's and shall ensure that they are at all times in good repair and adjustment.

**9. SANITATION & DRAINAGE DURING CONSTRUCTION:**

The contractor shall provide sanitation and drainage facilities on the site as stated subsequently.

The contractor shall strictly control the labour so that the site is not polluted, made dirty or littered with debris, wastes or the likes. Any person found creating mess or litter or pollution shall be removed from the site immediately at contractor's cost.

The contractor shall provide sanitation facilities at convenient locations on site to preserve the cleanliness of the site. The effluent shall be directed as follows:

- Waste water : Collection and pumping out and disposal off the site in approved manner.
- Sewage : Septic tank provision - sludge to be collected and disposed off at intervals as directed.

The location of the above provisions shall be as marked on the site mobilization scheme drawing.

**10. DISCREPANCIES:**

The contractor shall bring to the notice of the Architect any discrepancies within or between contract drawings and/or the other contract documents prior to preparation of working drawings and commencement of work and shall not proceed with work until the Architect gives clarifications and instructions to proceed.

**11. REPORTS BY CONTRACTOR:**

- 11.1 The contractor shall file daily category-wise labour return. The report shall indicate scheduled requirement against actual strength.
- 11.2 The contractor shall prepare weekly reports of planned and actual progress of work and subsequent week's scheduled work. These will also include material procurement status. These reports shall be submitted to Architect and shall be reviewed during weekly co-ordination meeting.
- 11.3 The contractor shall submit monthly report along with monthly bills.
- 11.4 Further progress charts and schedules shall be prepared by the contractor as directed by the Architect.
- 11.5 The contractor shall submit re-conciliation statement of all the materials supplied by the Client, if any, along with every running & final bill.

# **SPECIAL NOTE TO THE BIDDER**

1. The bidders are requested to visit the site and to get complete knowledge about the site conditions before quoting the rates.
2. The availability of materials, transportation of materials etc. to be ascertained before quoting the rates.
3. No labour will be allowed to work/stay beyond working hours and during institute holidays. If need to work/stay beyond working hours/on holidays, prior permission from the Engineer in Charge/Scientist in Charge should be obtained in writing.
4. No water and electricity will be supplied by IIA and separate arrangement has to be made by the contractor.
5. Quality and time for completion are the main essence of the contractor and contractor has to keep in mind while quoting the rates.
6. Since the area under renovation is scientific activity area, proper care to be taken to avoid disturbance to the working personnel.
7. All the debris shall be kept in one place as directed by the Engineer in Charge and disposed off outside the campus on working days. Working area/surrounding area shall be kept neat and clean every day after the work is completed.
8. All the materials shall be approved by IIA by providing sample/mock up before executing the complete work.
9. The indicative drawing is provided for the purpose of tendering/pricing. The detailed approved drawing will be provided along with the work order.
10. **Please find the check list enclosed in the last page of this tender document and comply accordingly.(No document will be considered without check list compliance)**

# **LIST OF APPROVED MATERIALS**

**CIVIL WORKS**

<b>Sl.No.</b>	<b>Material</b>	<b>Make</b>
1	Steel	SAIL – TMT, VIZAG STEEL
2	Cement	ACC/Birla/L&T/Ultra tech
3	Waterproofing compound	Fosroc/Dr. fixit/ approved equivalent
4	Acrylic Exterior Emulsion	Asian Paints
5	Plastic Emulsion Paint	Asian Paints
6	Enamel Paint	Asian Paints
7	Aluminium	Jindal, Indal, Hindalco
8	Glass	Saint Gobain, Modi
9	Flush Door	Kutty's Bond Wood, Hunsur Board
10	Vitrified tiles	Nitco/RAK
11	Ceramic tiles	NITCO
12	Mineral/Gypsum False ceiling	Armstrong, Saint Gobain (Gyproc)
13	Veneer/laminate/ply	Century/greenlam/merino

**WATER SUPPLY AND SANITARY WORKS**

<b>Sl.No.</b>	<b>Material</b>	<b>Make</b>
1	PVC	Astral/Ashirvad/Kisan/Supreme
2	CPVC	Astral/Ashirvad/Supreme/Prince
3	Ball valves	Astral/Ashirvad/Hawa /R.B.
4	SWR Gutter and appurtenances	Kisan Group/ PRINCE/ PARAS Group/ approved equivalent
5	C.P. Fittings	Jaquar/approved equivalent
6	Ceramic accessories	Jaquar/Hindware/CERA
7	SFRC/ RCC SFRC manhole frame and Covers	Southern Concrete Industries/approved equivalent
8	Non return valve (gun metal)	Kohinoor/ Approved Equivalent
9	Anchor bolts/pipe support system	Hilti / approved equivalent

# **BILL OF QUANTITIES**

**Bill of Quantities for the work of “Rainwater harvesting system at IIA, Koramangala campus,  
Bengaluru”**

**(NOTE: Rates shall be quoted after reading the complete specifications and understanding site conditions)**

Sl.No	Description	Quantity	Unit	Rate (Rs.)		Amount (Rs.)
				In figures	In Words	
<b>I</b>	<b>UG SUMP AT 1,00,000 LITRES CAPACITY</b>					
1	Dismantling manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material outside of the campus as per direction of Engineer-in-charge :					
1.1	bituminous road	74.00	Sqm			
2	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead up to 50 m and lift up to 1.5 m, as directed by Engineer-in-charge.					
2.1	All kind of soil	107.00	Cum			
	1.5 to 3 metre					
2.2	Extra for every additional lift of 1.5 m or part thereof in excavation / banking excavated or stacked materials.					

Sl.No	Description	Quantity	Unit	Rate (Rs.)		Amount (Rs.)
				In figures	In Words	
2.2.1	All kinds of soil	107.00	Cum			
	3 to 4.5 metre					
2.3	Extra for every additional lift of 1.5 m or part thereof in excavation / banking excavated or stacked materials.					
2.3.1	All kinds of soil	2.50	Cum			
3	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift up to 1.5 m.	63.50	Cum			
4	Clearing of excavated earth/soil out of campus including all loading, unloading, leads, lifts, etc complete as per instruction of Engineer-in-charge.	152.00	Cum			
5	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level					
5.1	1:4:8 (1 Cement : 4 coarse sand (zone-III): 8 graded stone aggregate 40 mm nominal size).	10.50	Cum			

Sl.No	Description	Quantity	Unit	Rate (Rs.)		Amount (Rs.)
				In figures	In Words	
6	Providing and laying in position machine batched (RMC) and machine mixed design mix M-30 grade cement concrete for reinforced cement concrete work, using cement content as per approved design mix, including pumping of concrete to site of laying but excluding the cost of centering, shuttering, finishing and reinforcement, including admixtures in recommended proportions as per IS: 9103 to accelerate, retard setting of concrete, improve workability without impairing strength and durability as per direction of Engineer-in-charge.“(Note:- Cement content considered in this item is @ 340 kg/cum.“Excess/ less cement used as per design mix is payable/recoverable separately). All works (raft/mat, walls & cover slab, etc) up to plinth level	42.00	Cum			
7	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete up to plinth level.					
7.1	Thermo-Mechanically Treated bars of grade Fe-500D or more	4,650.00	Kgs			
8	Centering and shuttering including strutting, propping etc. and removal of form for all heights -					

Sl.No	Description	Quantity	Unit	Rate (Rs.)		Amount (Rs.)
				In figures	In Words	
8.1	Foundations, footings, bases of columns, etc. for mass concrete	9.00	Sqm			
8.2	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	141.50	Sqm			
8.3	Suspended floors, roofs, landings, balconies and access platform	47.50	Sqm			
9	Plastering 12mm thick with cement mortar specified below finished with smooth surface including scaffolding, curing, etc; complete for internal surfaces of walls, ceiling, etc, complete all as per specifications.					
9.1	cement of mix 1:3 (1 cement: 3 fine sand)	42.50	Sqm			
9.2	cement of mix 1:4 (1 cement: 4 fine sand)	110.50	Sqm			
10	Providing and fixing GI hexagonal chicken wire mesh of size 12mm x22g at the entire RCC walls, including necessary nails for fixing etc, complete all as per specification and direction of Engineer-in-charge for all floor at all heights.	70.00	Sqm			
11	Extra for providing and mixing water proofing material in cement plaster work in proportion recommended by the manufacturers	25.00	Per bag of 50 kg cement used in the mix			

Sl.No	Description	Quantity	Unit	Rate (Rs.)		Amount (Rs.)
				In figures	In Words	
12	Plastering 12mm thick with cement mortar specified below finished with rough surface including scaffolding, curing, etc; complete for external surfaces of walls, ceiling, etc, complete all as per specifications.					
12.1	1:4 (1 cement: 4 coarse sand)	14.00	Sqm			
13	Hacking of CC flooring including cleaning for surface etc. complete as per direction of the Engineer-in-Charge.	152.50	Sqm			
14	Supply and fixing of RCC manhole cover with frame of 24" x 24" ISI marked (HD)	2.00	Nos			

Sl.No	Description	Quantity	Unit	Rate (Rs.)		Amount (Rs.)
				In figures	In Words	
15	Providing orange colour safety foot rest of minimum 6 mm thick plastic encapsulated (thermo plastic moulded steps) as per IS : 10910, on 12 mm dia steel bar conforming to IS: 1786, having minimum cross section as 23 mmx25 mm and over all minimum length 263 mm and width as 165 mm with minimum 112 mm space between protruded legs having 2 mm tread on top surface by ribbing or chequering besides necessary and adequate anchoring projections on tail length on 138 mm as per standard drawing and suitable to with stand the bend test and chemical resistance test as per specifications and having manufacture's permanent identification mark to be visible even after fixing, including fixing in manholes with 30x20x15 cm cement concrete block 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) complete as per design.	9.00	Each			

Sl.No	Description	Quantity	Unit	Rate (Rs.)		Amount (Rs.)
				In figures	In Words	
16	Supply, fabrication, fixing, testing and commissioning of GI class C puddle flanged pipes of required sizes for inlet, outlet, vent and overflow pipes for UG sump. The puddle flanged pipes shall be threaded end up to 50 mm dia. and flanged ends above 100 mm dia. All the puddle flanged pipes, plates and fittings shall be galvanised after fabrication as per IS specifications etc., complete as per Engineer-in-charge.					
16.1	40 mm dia. (screwed ends MS plate 6 mm thick; 100mm x 100mm plus dia of pipe).	1.00	Nos			
16.2	200 mm dia. (flanged ends MS plate 6 mm thick; 250mm x 250mm plus dia of pipe).	2.00	Nos			
<b>SUB TOTAL (A)</b>						

Sl.No	Description	Quantity	Unit	Rate (Rs.)		Amount (Rs.)
				In figures	In Words	
<b>II</b>	<b>UG SUMP AT 25,000 LITRES CAPACITY</b>					
17	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead up to 50 m and lift up to 1.5 m, as directed by Engineer-in-charge.					
17.1	All kind of soil	51.00	Cum			
	1.5 to 3 metre					
17.2	Extra for every additional lift of 1.5 m or part thereof in excavation / banking excavated or stacked materials.					
17.2.1	All kinds of soil	25.50	Cum			
18	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift up to 1.5 m.	28.50	Cum			

Sl.No	Description	Quantity	Unit	Rate (Rs.)		Amount (Rs.)
				In figures	In Words	
19	Clearing of excavated earth/soil out of campus including all loading, unloading, leads, lifts, etc complete as per instruction of Engineer-in-charge.	48.00	Cum			
20	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level					
20.1	1:4:8 (1 Cement: 4 coarse sand (zone-III): 8 graded stone aggregate 40 mm nominal size).	5.50	Cum			
21	Providing and laying in position machine batched and machine mixed design mix M-30 grade cement concrete for reinforced cement concrete work, using cement content as per approved design mix, including pumping of concrete to site of laying but excluding the cost of centering, shuttering, finishing and reinforcement, including admixtures in recommended proportions as per IS: 9103 to accelerate, retard setting of concrete, improve workability without impairing strength and durability as per direction of Engineer-in-charge.“(Note :- Cement content considered in this item is @ 340 kg/cum.“Excess/ less cement used as per design mix is payable/recoverable separately). All works (raft/mat, walls & cover slab, etc) up to plinth level Providing	19.00	Cum			

Sl.No	Description	Quantity	Unit	Rate (Rs.)		Amount (Rs.)
				In figures	In Words	
22	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete up to plinth level.					
22.1	Thermo-Mechanically Treated bars of grade Fe-500D or more	2,160.00	Kgs			
23	Centering and shuttering including strutting, propping etc. and removal of form for all heights -					
23.1	Foundations, footings, bases of columns, etc. for mass concrete	5.50	Sqm			
23.2	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	84.50	Sqm			
23.3	Suspended floors, roofs, landings, balconies and access platform	18.50	Sqm			
24	Plastering 12mm thick with cement mortar specified below finished with smooth surface including scaffolding, curing, etc; complete for internal surfaces of walls, ceiling, etc, complete all as per specifications.					
24.1	cement of mix 1:3 (1 cement: 3 fine sand)	15.50	Sqm			

Sl.No	Description	Quantity	Unit	Rate (Rs.)		Amount (Rs.)
				In figures	In Words	
24.2	cement of mix 1:4 (1 cement: 4 fine sand)	52.50	Sqm			
25	Providing and fixing GI hexagonal chicken wire mesh of size 12mm x22g at the entire RCC walls, including necessary nails for fixing etc, complete all as per specification and direction of Engineer-in-charge for all floor at all heights.	38.00	Sqm			
26	Extra for providing and mixing water proofing material in cement plaster work in proportion recommended by the manufacturers	11.00	Per bag of 50 kg cement used in the mix			
27	Plastering 12mm thick with cement mortar specified below finished with rough surface including scaffolding, curing, etc; complete for external surfaces of walls, ceiling, etc, complete all as per specifications.					
27.1	1:4 (1 cement: 6 coarse sand)	11.00	Sqm			
28	Hacking of CC flooring including cleaning for surface etc. complete as per direction of the Engineer-in-Charge.	67.50	Sqm			

Sl.No	Description	Quantity	Unit	Rate (Rs.)		Amount (Rs.)
				In figures	In Words	
29	Supply and fixing of RCC manhole cover with frame of 24" x 24" ISI marked (HD)	2.00	Nos			
30	Providing orange colour safety foot rest of minimum 6 mm thick plastic encapsulated (thermo plastic moulded steps) as per IS : 10910, on 12 mm dia steel bar conforming to IS: 1786, having minimum cross section as 23 mmx25 mm and over all minimum length 263 mm and width as 165 mm with minimum 112 mm space between protruded legs having 2 mm tread on top surface by ribbing or chequering besides necessary and adequate anchoring projections on tail length on 138 mm as per standard drawing and suitable to with stand the bend test and chemical resistance test as per specifications and having manufacture's permanent identification mark to be visible even after fixing, including fixing in manholes with 30x20x15 cm cement concrete block 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) complete as per design.	7.00	Each			

Sl.No	Description	Quantity	Unit	Rate (Rs.)		Amount (Rs.)
				In figures	In Words	
31	Supply, fabrication, fixing, testing and commissioning of GI class C puddle flanged pipes of required sizes for inlet, outlet, vent and overflow pipes for UG sump. The puddle flanged pipes shall be threaded end up to 50 mm dia. and flanged ends above 100 mm dia. All the puddle flanged pipes, plates and fittings shall be galvanised after fabrication as per IS specifications etc., complete as per Engineer-in-charge.					
31.1	40 mm dia. (screwed ends MS plate 6 mm thick; 100mm x 100mm plus dia of pipe).	1.00	Nos			
31.2	200 mm dia. (flanged ends MS plate 6 mm thick; 250mm x 250mm plus dia of pipe).	2.00	Nos			
<b>SUB TOTAL (B)</b>						
<b>III</b>	<b>PIPE LINES &amp; APPURTENANCES</b>					
32	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material outside of the campus as per direction of Engineer-in-charge.					
32.1	In cement mortar	1.00	Cum			

Sl.No	Description	Quantity	Unit	Rate (Rs.)		Amount (Rs.)
				In figures	In Words	
33	Dismantling C.I./asbestos/PVC rain water pipe with fittings and clamps including stacking the material outside of the campus :					
33.1	100 mm dia pipe	10.00	Rm			
34	Dismantling stone slab laid in cement mortar including stacking of serviceable material and disposal of unserviceable material outside of the campus.	2.00	Sqm			
35	Demolishing cement concrete manually/ by mechanical means including disposal of material outside of the campus as per direction of Engineer - in - charge.					
35.1	Nominal concrete 1:4:8 or leaner mix (i/c equivalent design mix)	1.00	Cum			
36	Removing and re-laying of available cement concrete interlocking paver blocks of any design/ shape laid in required line, level, curvature, colour and pattern over and including 50 mm thick compacted bed of coarse sand, filling the joints with fine sand etc. all complete as per the direction of Engineer-in-charge.	2.00	Sqm			

Sl.No	Description	Quantity	Unit	Rate (Rs.)		Amount (Rs.)
				In figures	In Words	
37	Providing and fixing semi-circular SWR gutter of 160mm (6") wide, (6Kg/Sqcm) with brackets , angles, bolts, nuts and washers etc., including making necessary connections with rain water pipes (like end cap, connection clips, drop outlet with grating, elbow, bends, etc) and clamping to RCC drop/facia complete. (Price inclusive of necessary angles & MS frame work for carrying gutters).	115.00	Rm			
38	Supplying, fixing and testing PVC rainwater pipe conforming to IS 13592-1992 (SWR class B-6Kg/Sqcm) with all fittings like shoes, bends fixed in the pipe shafts (ducts) with suitable supports etc & edge to be join with FRP paste., complete					
38.1	160mm dia - type - B	225.00	Rm			
38.2	200mm dia - type - B	152.00	Rm			

Sl.No	Description	Quantity	Unit	Rate (Rs.)		Amount (Rs.)
				In figures	In Words	
39	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge.					
39.1	50 mm nominal outer dia Pipes	50.00	Rm			
40	Providing and fixing in position heavy quality gun metal non-return valves confirming to IS: 778 and bearing ISI mark of following sizes including testing and making good the leakages etc., complete.					
40.1	Horizontal type - 50 mm dia	2.00	Nos			
41	Plumbing Special fittings					
41.1	Providing and fixing 50 mm CPVC ball valve (brass) of approved quality, High pressure, with plastic floats complete:	2.00	Nos			
41.2	Providing and fixing PVC ball valve 160 mm dia (Heavy) of approved quality, high pressure with plastic floats complete.	6.00	Nos			

Sl.No	Description	Quantity	Unit	Rate (Rs.)		Amount (Rs.)
				In figures	In Words	
42	Providing and fixing to the inlet mouth of rain water pipe cast iron grating 15 cm diameter and weighing not less than 440 grams.	2.00	Nos			
43	Construction of inspection chamber of internal clear dimensions as mentioned below in 230mm thick brick masonry using first class country brick walls in CM 1:3 over a bed of 150mm thick CC 1:2:4, plastering with CM 1:2, 12mm thick on internal, external, exxposed top surfaces and internal and exposed top surfaces finished smooth with a floating coat of neat cement, PCC 1:2:4 for benching, channelling, providing and fixing pre-cast RCC M15 frame and cover as mentioned below including cost of necessary steel reinforcement as per drawing, encasing sewers connection to chamber in PCC 1:2:4 complete all as specified and directed ( Ref. Fig No. CED:PH8.6 of PH engineering specification) NOTE: CC 1:2:4 in the above item is by using 20mm graded granite aggregate obtained from approved quarry.					
43.1	600x600x600mm (with RCC frame and cover)	11.00	Each			

Sl.No	Description	Quantity	Unit	Rate (Rs.)		Amount (Rs.)
				In figures	In Words	
44	Constructing masonry Chamber 120x120x100 cm inside, in brick work in cement mortar 1:4 (1 cement : 4 coarse sand) for sluice valve, with C.I. surface box 100 mm top diameter, 160 mm bottom diameter and 180 mm deep (inside) with chained lid and RCC top slab 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) , i/c necessary excavation, foundation concrete 1:5:10 (1 cement : 5 fine sand : 10 graded stone aggregate 40 mm nominal size) and inside plastering with cement mortar 1:3 (1 cement : 3 coarse sand) 12 mm thick, finished with a floating coat of neat cement complete as per standard design :					
44.1	With common burnt clay F.P.S.(non modular) bricks of class designation 7.5	1.00	Each			
45	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	200.00	Kgs			
<b>SUB TOTAL (C)</b>						

Sl.No	Description	Quantity	Unit	Rate (Rs.)		Amount (Rs.)
				In figures	In Words	
<b>IV</b>	<b>INFILTRATION GALLERY (4FT DIA AND 10FT DEEP)</b>					
46	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead up to 50 m and lift up to 1.5 m, as directed by Engineer-in-charge.					
46.1	All kind of soil	8.00	Cum			
	1.5 to 3.0 metre					
46.2	Extra for every additional lift of 1.5 m or part thereof in excavation / banking excavated or stacked materials.					
38.2.1	All kinds of soil	8.00	Cum			
47	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift up to 1.5 m.	2.50	Cum			

Sl.No	Description	Quantity	Unit	Rate (Rs.)		Amount (Rs.)
				In figures	In Words	
48	Clearing of excavated earth/soil out of campus including all loading, unloading, leads & lifts	15.00	Cum			
49	Providing and fixing of Precast Ferro Cement Rings of diameter 1.22 m, thickness 0.05 m and 0.3 m height etc, complete as per specification and Engineer-in-charge	20.00	Nos			
50	Providing and fixing of RCC precast Ferro Cement rings top cover (1.52 m dia, 0.15 m thick) etc, complete as per specification and Engineer-in-charge	2.00	Nos			
51	Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete.	1.50	Cum			
52	Supply of quarried stone, hand breaking into coarse aggregate 20mm nominal size and stacking as directed complete as per specifications.	1.50	Cum			
53	Supply of quarried stone, hand breaking into coarse aggregate 40mm nominal size and stacking as directed complete as per specifications.	1.50	Cum			
<b>SUB TOTAL (D)</b>						


Sl.No	Description	Quantity	Unit	Rate (Rs.)		Amount (Rs.)
				In figures	In Words	
<b>TOTAL (A)+(B)+(C)+(D) = (E)</b>						
<b>GST ..... %on E = (F)</b>						
<b>GRAND TOTAL (E)+(F) = (G)</b>						


(Grand Total amount in words Rs.....  
..... )

Date:

Place:

Signature of the contractor with seal





# **CHECK LIST**

**ALL THE BIDDERS ARE REQUESTED TO COMPLETE THE CHECK LIST WITH NECESSARY DOCUMENTS AND COMPLY ACCORDINGLY**

<b>SL. NO.</b>	<b>Document to be furnished</b>	<b>YES/NO</b>	<b>REMARKS</b>
1	Tender document fee (Non Refundable)		
2	Earnest Money Deposit (Refundable)		
3	Complete tender document duly signed by contractor/authorized representative. Power of Attorney to be attached in case of partnership firm)		
4	Please mention the name of the work, tender number, contractor address etc. on cover/envelop		
5	Valid Contractor License		
6	PAN Details		
7	GST Details		
8	Relevant Experience Certificate as per tender conditions		
9	Financial Documents like turnover certificate, IT returns for last 3 Financial Years,		
10			
11			
12			

Signature of the Contractor with Stamp