

**INDIAN INSTITUTE OF ASTROPHYSICS  
2<sup>ND</sup> BLOCK, KORAMANGALA,  
BENGALURU – 560034.**

## **TENDER DOCUMENT**

***Name of Work:* Renovation of Toilets in Evershed Guest House,  
Michie Smith Guest House and Evershed Annexe  
Building at IIA, Kodaikanal Observatory,  
Kodaikanal, Tamil Nadu.**

**Tender Notice No.: 48/IIA/CIVIL/KSO/KODAIKANAL/2021-22 Dated 01.10.2021**

**INDIAN INSTITUTE OF ASTROPHYSICS**

**Ph.080-2554 1200/1259/1359 , Fax: 25534043      Website: [www.iiap.res.in](http://www.iiap.res.in)**



**INDIAN INSTITUTE OF ASTROPHYSICS**

**2<sup>ND</sup> BLOCK, KORAMANGALA,**

**BENGALURU-560 034.**

**Tender Notice No.: 48/IIA/CIVIL/KSO/KODAIKANAL/2021-22 Dated 01.10.2021**

The Director, Indian Institute of Astrophysics invites sealed item rate tenders in the prescribed format for the following work from appropriate registered contractors in state PWD, CPWD, MES, Scientific institutions and private body contractors who have executed works of similar nature.

Sl. No.	Name of the work	Estimated cost in Rs.	Time for completion	EMD	Cost of tender document Rs.
1.	<b>Renovation of Toilets in Evershed Guest House, Michie Smith Guest House and Evershed Annexe Building at IIA, Kodaikanal Observatory, Kodaikanal, Tamil Nadu.</b>	8,71,000/-	03 Months	NIL  Bid security declaration from should be submitted by the bidder (format attached)	1,000/-

The Tender Document can be viewed and downloaded from our website [www.iiap.res.in/tenders.htm](http://www.iiap.res.in/tenders.htm). The interested tenderers may at their option download the same, as **“NO” hard copies of Tender document shall be provided from this office** and submit their offers along with Tender fee (non-refundable) prescribed therein, only in the form of Demand Draft drawn in favor of **“Indian Institute of Astrophysics”** payable at Bangalore. The DD shall be valid for a period of ninety days (90) from the date of opening of bids.

The Offers containing complete tender document duly filled with all necessary particulars complete credentials including experience certificates, tender document fee, EMD etc. should be submitted in sealed cover (Cover -1) and priced Bill of Quantities in sealed cover (Cover -2). Both cover 1 & 2 shall be put in Cover -3 super scribing the envelope with **“Renovation of Toilets in Evershed Guest House, Michie Smith Guest House and Evershed Annexe Building at IIA, Kodaikanal Observatory, Kodaikanal, Tamil Nadu”**. Notice No. and due date”, shall be submitted addressed to **The Director, Indian Institute of Astrophysics, 2<sup>nd</sup> Block, Koramangala, Bengaluru – 560 034. The last date of submission of bid is 11.11.2021 on or before 15:00 hrs. The bids will be opened at 15:30 hrs on the same day** in the presence of attending tenderers or their authorized representatives.

**ELIGIBILITY CRITERIA**

The firms who fulfill the following requirements shall be eligible to submit their bids. Joint ventures are not acceptable.

- (i) Tendering Company shall be professionally managed and resourceful for taking up similar jobs.
- (ii) The experience of having successfully completed similar work during last 5 years as on 30.09.2021 should be either of the following:
- a) One similar completed work costing not less than the amount equal to 80% of the estimated cost.
- OR
- b) Two similar completed works costing not less than the amount equal to 50% of the estimated cost.
- OR
- c) Three similar completed works costing not less than the amount equal to 40% of the estimated cost.

**Similar work shall mean:**

Similar work experience shall mean that the bidder shall have an experience in renovation of buildings/quarters, construction of new residential/public buildings, etc. In support of this, the bidder must submit completion Certificate / work orders from the client and the same shall be included in the bid as supporting documents.

**Documentary Proof for Eligibility**

Self attested/certified copy of work orders and completion certificates issued by the authority concerned to establish work experience shall be attached to the tender document. Photographs of such works shall be attached for reference. Copies of the Income Tax Returns along with Financial Statements such Balance Sheet, Assessment report issued by Income Tax dept, P&L Account etc for the last 3 Financial Years shall be attached to the tender document.

Valid Contract License issued by the competent authority shall be enclosed.

**OTHER CONDITIONS**

1. Technical & price Bids supported by the above information should be submitted in a Sealed envelope duly super scribed with the name of work, tender notice No., Last date of submission. The completed Bids will be received by this office **up to 15:00 Hrs. on 11.11.2021.**
2. If any information furnished by the tenderers is found incorrect at a later stage, the firm shall be liable to be debarred from tendering and taking up of work in I.I.A. The Institute reserves the right to verify the particulars furnished by the tenderers.
3. The firms should submit their offers along with Tender fee of prescribed amount up to **15:00 Hrs. on 11.11.2021.**
4. Incomplete Technical Bids are liable for rejection.
5. Late & / delayed offer will not be considered.
6. IIA is not responsible for any delay / loss of documents in transit.
7. The Tenders will be opened **on 11.11.2021 at 15:30 hours at I.I.A, Bengaluru** in the presence of

bidders or their authorized representatives. The representatives of the tenderers should bring authorization letter / identification while attending for opening of the tenders.

8. IIA reserves the right to reject any or all tenders without assigning any reasons.
9. **The lowest quoted bidder cannot claim as lowest bidder unless the bidder satisfies all the tender conditions, technical qualifications and eligibility with supported documents complete in all respect.**

Administrative Officer  
IIA, Bengaluru -34.

**INDIAN INSTITUTE OF ASTROPHYSICS**  
2<sup>nd</sup> Block, Koramangala, Bengaluru - 560 034.

**Tender Notice No.: 48/IIA/CIVIL/KSO/KODAIKANAL/2021-22 Dated 01.10.2021**

M/s.

Dear Sir,

The Director, Indian Institute of Astrophysics, Bengaluru invites sealed tenders for the work of **“Renovation of Toilets in Evershed Guest House, Michie Smith Guest House and Evershed Annexe Building at IIA, Kodaikanal Observatory, Kodaikanal, Tamil Nadu”**. The tender terms enclosed herewith may be noted carefully. If you are in a position to quote for the work in accordance with the requirement, please submit your quotation in the attached Tender Form.

Your tender must reach this office on or before the date and time indicated in the tender schedule.

Thanking you,

Yours faithfully,

Encl: as above.

Administrative Officer

For Director

### 3. INSTRUCTIONS TO THE TENDERERS

1. The tenderers should submit the entire tender document with duly filled with price and technical details of the firm. All the pages of document shall be duly signed.
2. **The rates quoted by the tenderer in the schedule shall be inclusive of all taxes and levies. Such rates should provide the break-up of the cost and applicable taxes, levies etc.**
3. The Offers should be submitted in sealed envelope super scribed with Tender for **“Renovation of Toilets in Evershed Guest House, Michie Smith Guest House and Evershed Annexe Building at IIA, Kodaikanal Observatory, Kodaikanal, Tamil Nadu”**. Notice No. and due date”.
4. If any clarification is required should be obtained before filling Tender Document.
5. If any discrepancy is there between figures and words for quoted rates, the lower of the two will be considered for the purpose of evaluation.
6. The tenderers who do not fulfill all or any of the tender conditions or if the tender is Incomplete in any respect, will be summarily rejected.
7. The Institute is not bound to accept the lowest tender.
8. Even though the Tenderers meet the above criteria, they are subject to be disqualified if they have (The Institute reserves the right to verify the particulars furnished by the tenderers.)
  - Made misleading or false representations in the forms, statements and attachments submitted in proof of the qualification requirement, Conditional bid / proposal: and / or
  - Record of poor performance such as abandoning the works, not properly completing the contract, inordinate delays in completion, litigation history, or financial failures etc.
9. Any effort by the contractor to influence the client in the bid evaluation, bid comparison or contract award decision results in rejection of the contractors bid.
10. Financial offer will be considered if the bidders fulfill all the technical and financial eligibility criteria as per tender.
11. Late & / delayed offer will not be considered at all.
12. IIA is not responsible for any delay / loss of documents in transit.
13. No bids will be considered if prescribed Tender Fee and bid security declaration form are not found with the bid.
14. All overwriting and corrections shall be duly attested with stamp & signature.
15. Corrigendum's / modifications / corrections, if any, will be published in the website only.
16. The Director, Indian Institute of Astrophysics reserves the right to accept or reject the tenders in full or part without assigning any reason thereof.

17. Performance certificates of the completed works issued by the clients to be enclosed in the technical bid.
18. The committee constituted by the Director may inspect the previously completed or the ongoing works of the bidders to assess their technical suitability for the tendered work.
19. All the pages of the tender document to be signed by the contractor and submit them in the respective sealed covers.
20. The successful contractor will have to execute an Agreement with the Institute within 21 days of receipt of Letter of Intent / Work Order.
21. The lowest quoted bidder cannot claim as lowest bidder unless the bidder satisfies all the tender conditions, technical qualifications and eligibility with supported documents complete in all respect.
22. **All the bidders are requested to visit the site before quoting the rates. The complete document shall be read and understood in all respect. If any clarification is required, the same may got cleared before submitting their offers in writing by contacting the following persons:**

**M.V.Ramaswamy**  
**Ph. No. 080-2254 1207**  
**Mobile: 9742410480**  
**E-mail.: [mramaswamy@iiap.res.in](mailto:mramaswamy@iiap.res.in)**

23. All the bidders are requested to visit Institute website [www.iiap.res.in/tenders.htm](http://www.iiap.res.in/tenders.htm) till last date of submission of bids for latest updates on addendum, corrigendum, extensions etc. which will be notified only in website. No individual information will be provided.

\*\*\*\*\*

**INDIAN INSTITUTE OF ASTROPHYSICS**

**2<sup>ND</sup> BLOCK, KORAMANGALA,**

**BENGALURU – 560 034.**

*Name of Work:* **“Renovation of Toilets in Evershed Guest House, Michie Smith Guest House and Evershed Annexe Building at IIA, Kodaikanal Observatory, Kodaikanal, Tamil Nadu.”**

**Tender Notice No.: 48/IIA/CIVIL/KSO/KODAIKANAL/2021-22 Dated 01.10.2021**

Name of

The Firm: \_\_\_\_\_

Address: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Phone No: \_\_\_\_\_

**Last date for submission: 11.11.2021 up to 15:00 hrs**



**FORMAT FOR SUBMISSION OF TECHNICAL & ORGANIZATIONAL DETAILS.**

**NAME OF THE FIRM :**

**1. OFFICE SET UP OF THE FIRM**

1.1 Office Address:

.....  
.....

1.2 Year of Establishment:

1.3 Contact Person Shri .....

With Designation .....

Ph No.....

Fax No.....

E-mail.....

1.4 Details of registration if any: .....

.....

1.5 Organizational setup of the firm

Total staff strength both technical

And Administration with their name, age

Qualification and experience : .....

1.6 PAN (photocopy to be enclosed) .....

GSTIN No (photocopy to be enclosed) .....

1.7 Details of the staff as per the following format.

Sl. No	Profession/discipline	Name	Age	Qualification	Experience (total years)	Field of experience
	Civil					

## **2 TENDERER'S EXPERIENCE**

Details of Works carried out and on hand during last five years with details such as name of work, year of completion, client name and address, cost of work, time period of construction, nature of work, etc., (It shall enclose a certificate from the owner that the service rendered by the firm has been satisfactory)

Sl. No.	Name & description of work	Value of work and date.	Period of construction and date.	Client persons to whom reference may be made.

### **3. TOOLS AND EQUIPMENT LIST**

The tenderer shall indicate herein below the equipment he has in possession and the equipment he proposes to bring to the site, in case the work is awarded to him.

Sl. No	Type and Description of the equipment.	Numbers the bidder has in possession	Numbers he proposes to bring on to site

Tenderers hereby confirms that the quantity and type of tools he will employ for construction will not be less than those listed above and agree to bring more equipment if so warranted in the opinion of the Engineer-in-charge.

**4. FINANCIAL**

Bank Name: \_\_\_\_\_

Branch: \_\_\_\_\_

Account No.: \_\_\_\_\_

Average Annual Turnover for last 5 Years: \_\_\_\_\_

**5. INSURANCE**

Accident Insurance

Insured with: \_\_\_\_\_

Policy No.: \_\_\_\_\_

6. Details of Arbitration cases : .....

7. Any other detail you would like to intimate in support of your technical bid for appointment : .....

Signature of the authorized

Person with seal of the firm

(Note: Attach separate sheet for furnishing information in case the space in the format is insufficient)

**INDIAN INSTITUTE OF ASTROPHYSICS**  
**2<sup>ND</sup> BLOCK, KORAMANGALA,**  
**BENGALURU – 560034.**

**PRICE BID**

***Name of Work:* “Renovation of Toilets in Evershed Guest House, Michie Smith Guest House and Evershed Annexe Building at IIA, Kodaikanal Observatory, Kodaikanal, Tamil Nadu.”**

**Tender Notice No.: 48/IIA/CIVIL/KSO/KODAIKANAL/2021-22 Dated 01.10.2021**

Name of

The Firm:

\_\_\_\_\_

Address:

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Phone No:

\_\_\_\_\_

**Last date for submission: 11.11.2021 at 15:00 hrs**

**Tender for the “Renovation of Toilets in Evershed Guest House, Michie Smith Guest House and Evershed Annexe Building at IIA, Kodaikanal Observatory, Kodaikanal, Tamil Nadu.”**

**Conditions of contract**

Sealed item rate tenders are invited by Indian institute of Astrophysics for the above mentioned work

Estimated cost : **Rs. 8,71,000.00 (Eight lakhs seventy one thousand rupees only)**

Time of completion : **THREE (03) Months.**

Period of commencement : 7 days from the date of receipt of work order

Retention money/Security Deposit : 5% to be deducted from each RA bill and final bill, shall be released after one year of completion of work, deducting the cost if any towards the cost of defects rectified by employer due to lack of response of the contractor on completion of defects liability period and on certification by the engineer –in charge.

Defects liability period : 12 Months.

Amount of liquidated damage : Liquidated Damages will be deducted from the bill amount while making final payment for delay in completion of work if any, as per the extant rules of the CPWD.

Escalation : In view of the short duration of the contract, no escalation will be paid to the contractor on account of changes in the market prices of any items of work or changes in the cost of living indices etc.

Tax deduction at source : Statutory taxes will be deducted while making payment from time to time as applicable.



The Director, Indian institute of Astrophysics reserves the right to reject any or all the tenders without assigning any reason whatsoever.

The tenderer shall be responsible for arranging and maintaining at his own cost all **materials, tools and plants, water, electricity**, facilities **for workers, safety norms** and all other services required for executing the work.

Timely completion of work and quality of workmanship are of prime importance and the work shall be completed within the stipulated period. Cement consumption must match with standard theoretical calculations. Recovery to be effected in the event of not fulfilling the cement consumption. The waterproofing is the main work for which five year performance guarantee need to be provided by the applicator.

I/ We have read the tender notice, specifications, schedule, drawings, general rules and all other contents of the tender conditions, and Understand that you are not bound to accept the lowest or any tender you may receive.

I/ we hereby tender for the execution for the work specified above within the time specified above, at the rates specified in the attached bill of quantities and in all respects with these specifications, design, drawings and instructions.

I/we agree that should I/we fail to commence the work specified in the above memorandum an amount equal to amount of earnest money mentioned in the form of invitation of tender shall be absolutely forfeited to the Director.

**Dated: -----**

**Signature of the contractor with stamp**

## General conditions of contract.

### Item rate tender for works.

- The institute reserves the right to alter the scope /or reduce quantum of work before issue of work order and the contractor shall not have any claim what so ever on this account.
- Rates quoted by the contractor in item rate tender in figures and words shall be accurately filled in so that there is no discrepancy in the rates written in figures and words. However if a discrepancy is found, the rates which correspond with the words worked out by the contractor shall be taken as correct.
- If the amount of an item is not worked out properly by the contractor or it does not correspond with the rate written either in figures or words, then the rate quoted by the contractor in the words shall be taken as correct.
- When the **rates quoted by the contractor in figures and in words** tally but the amount is not worked out correctly the rate quoted in words by the contractor will be taken as correct and not the amount.
- The contractor shall take all precautionary measures to prevent entry of dust, dirt and noise pollution to the adjacent buildings and keep the premises neat and tidy, remove surplus materials and rubbish and shall not cause inconvenience to the staff of IIA. If the contractor or his working people or servants shall break, deface, injure or destroy any part of a building in which they may be working or any buildings, road, kerbs, fence, enclosure, water pipes cables, drains, electric and telephone posts or wire, trees grass or garden. The cost of any such damage and risks arising out of this shall be entirely borne by the contractor.
- A bill shall be submitted by the contractor each month on or before the date fixed by the Engineer- in charge. All the measurements of the work may be recorded jointly by the Engineer-in charge and the contractor or their respective representatives. The measurements will be taken at site, as per latest IS code of practice for measurements. All measurements shall be taken with steel tapes only.
- The Engineer- in -Charge shall have full powers to the removal from the premises of all materials and bad workmanship, which in his opinion are not in accordance with the specifications.

- ❑ The Engineer –in- Charge may require the contractor to dismiss or remove from the site of the work any person or persons in the contractors employ upon the work who may be in competent or misconduct himself.
  
- ❑ For working on Sundays, holidays and late hours prior permission will be accorded by the Engineer-in charge on the application made by the contractor.
  
- ❑ All works to be executed under the contract shall be executed under the direction and subject to the approval in all respects of the Engineer-in charge who shall be entitled to direct at what point or points and in what manner they are to be commenced and from time to time carried on.
  
- ❑ The contractor shall treat all materials obtained during dismantling of a structure, excavation of the site for a work etc as institute’s property and such materials shall be disposed off to the best advantage of the institute.
  
- ❑ The contractor shall execute the whole and every part of the work in the most substantial and workman like manner and in strict accordance with the specifications of the CPWD / DOS / Bureau of Indian Standards. In case of any class of work for which there is no such specifications the contractor shall carry out the work in all respects in accordance with the instructions in writing of the Engineer- in charge.
  
- ❑ The Engineer-in charge shall have powers to make any alterations in, omissions from, additions to or substitutions for the original specifications, drawings, designs and instructions that may appear to him necessary or advisable during the progress of the work and the contractor shall carry out the work in accordance. The rates for such additional, altered or substituted items of work shall be worked out in accordance with the standard procedure followed in CPWD / DOS.
  
- ❑ If at any time after the commencement of the work, the Director shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out, the Engineer- in-Charge shall give notice in writing of the fact to the contractor who shall have no claim to payment of compensation whatsoever on account of any profit or advantage which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work not having been carried out, neither shall he have any claim for compensation by reason of any alterations having been made in the original specifications , drawings ,designs and instructions which shall involve any curtailment of the work as originally contemplated.

- The contractor shall obtain a valid license under the Contract Labour (R&A) act 1970 and the contract labour (Regulation & Abolition) central rules, 1971 before the commencement of the work and continue to have a valid license until the completion of the work. No labour below the age of eighteen years shall be employed on the work. The contractor shall pay to labour employed by him either directly or through sub contractors, wages not less than fair wages as defined in the provision of the contract labour (R&A) act 1970 and the contract labour (R&A) central rules 1971 wherever applicable.
  
- The contractor shall at his own expenses arrange for the safety provision as per safety code framed from time to time and shall at his own expenses provide for all facilities in connection therewith.
  
- The contractor shall comply with all the provisions of the payment of wages act 1936, Minimum Wages Act 1948, Employees liability act 1938, Workmen's Compensation act 1923, Industrial Disputes Act 1961 and the Contractors Labour (R&A) Act 1970 or the modifications thereof or any other laws relating thereto and the rules made there under from time to time. The regulations aforesaid shall be deemed to be a part of this contract and any breach thereof shall be deemed to be a breach of this contract. Security deposit will not be refunded till clearance certificate from Labour Officer is obtained by contractor.
  
- The contractor shall make his /their own arrangements for water required for the works and nothing extra will be paid for the same, as the water available from the institute source may not be sufficient to meet the construction.
  
- The contractor shall have all the tools and plants necessary to carry out the work such as concrete mixer, vibrator and hoist. The contractor shall employ one graduate engineer during the execution of the work
  
- Certified plumbers should be employed by the contractor on the plumbing and sanitary work.
  
- The standard sectional weights referred to as standard tables in para 5.3.4 (TABLE 5.4) in CPWD specifications for works 2019 vol. 1 to be considered for conversion of length of various sizes of M.S bars and tor steel bars in to weight.
  
- The entire work is to be completed within the period stipulated i.e. **Three (03) months** from the 7<sup>th</sup> day of issue of Letter of Intent/Work Order. The period includes monsoon period also. Time shall be the essence of the contract. After the work awarded, the contractors shall furnish detailed time schedules for the approval of the Engineer-in charge which after approval shall form part of the contract and are to be strictly adhere to.
  
- The maintenance period for the work shall be twelve (12) months and any defects noticed during the period shall have to be rectified by contractor at his cost, failing which the action taken for maintenance Engineer-in charge shall be final over which the contractor will not have any claim.

- ❑ The contractor shall extend all co-operations to the contractors executing works such as electrical, air conditioning etc who might be working at the site and shall permit to use scaffolding etc already put up by him.
- ❑ The Engineer-in charge will have the right to get any item of the work included in this tender or not executed through other agencies. Schedule of probable quantities in respect of the work and specifications are enclosed. The schedules of probable quantities are liable to alterations by emission, deduction or additions at the discretion of the Engineer-in charge.
- ❑ The rates quoted by the tenderer in the schedule shall be inclusive of all taxes and levies. Such rates should provide the break-up of the cost and applicable taxes, levies etc.
- ❑ Samples of all materials to be incorporated in the works shall be submitted to the Engineer-in charge for his approval without claiming any extra cost. Materials not confirming strictly to the samples are liable to be rejected.
- ❑ The employment of any sub-contractors will be subjected to the approval of the Engineer-in-charge. If at any time during the progress of the work the Engineer-in charge determines that any sub-contractor is incompetent or undesirable the contractor shall take steps immediately to cancel such sub-contractor. The contractor shall be entirely responsible for all the work included in the contract whether executed by him or through his sub-contractors. In particular it may be noted that the contractor shall obtain steel doors and windows from a reputed manufacturer and before placing order for these, the contractor shall obtain the concurrence of the department for the agency from whom he proposes to obtain steel doors and windows.
- ❑ The contractor shall prepare a CPM /PERT /BAR chart/ detailed estimate programme within a week's time of issue of Work Order.
- ❑ All materials and articles brought by the contractor to the work site shall have to be declared at the security gate. Similarly no materials shall be taken out from the departmental premises without proper gate pass which will be issued by the Engineer-in charge.
- ❑ Unless otherwise provided in the schedule of quantities the rates tendered by the contractor shall be all inclusive and shall apply to all heights, lifts, leads and depths of the building and nothing extra shall be payable to him on this account.
- ❑ Sample of various materials required for testing shall be provided free of charge by the contractor. Testing charges, if any unless otherwise provided, shall be borne by the department. All other expenditure required to be incurred for taking the samples, conveyance, packing etc. shall be borne by contractor himself. In case of concrete and reinforced concrete work, the contractor shall be required to make arrangement for carrying out compression strength tests at his own cost including preparation of cubes curing etc. complete.

- ❑ For the purpose of recording measurements and preparing running account bills, the abbreviated nomenclature shall be accepted along with the item number.
- ❑ The contractor shall along the tender submit a schedule of machinery to be used on the work in support of his assurance to adhere to the time schedule specified in the proforma given.
- ❑ I /We declare that the work will be carried out as per the specifications in tender document and as per the specifications said above. The items of work not covered in the specifications said above will be carried out as per the specifications in the relevant CPWD specifications, and if not covered in CPWD specifications the work will be carried out as in the relevant IS specifications, and if not covered in the any of the above, the work will be carried out as directed in writing by the Engineer- in charge.
- ❑ I / We declare that the rates quoted by me/us are on the basis of the above.

**Dated: -----**

**Signature of the contractor with stamp**

# **TENDER FORM**

To,

The Director,  
Indian institute of Astrophysics,  
Koramangala,  
Bengaluru - 560034

Dear Sir,

**Sub: Tender for project: “Renovation of Toilets in Evershed Guest House, Michie Smith Guest House and Evershed Annexe Building at IIA, Kodaikanal Observatory, Kodaikanal, Tamil Nadu.”**

With reference to the tender invited by you for the above proposed work, I/we write this after having:

- a). Examined the designs, drawings, detailed specifications to tenders, sample agreement, the general conditions of contract and special conditions of contract annexed there to (here in after called ‘the contract documents’) relating to construction.
- b). Visited and examined the site of the proposed work and acquired the requisite information relating to or affecting the tender. We are agreed to the decisions of the pre bid meeting by signing and stamping the minutes of the meeting which is enclosed along with this tender.

I/We undersigned hereby offer to construct the proposed work in strict accordance with the contract document for the consideration to be calculated in terms of the priced schedule of quantities.

I/We undertake to complete the whole of the works as per the attached schedule from the date of issue of intimation by you that our tender has been accepted and up on being permitted to enter site. I/We further undertake that on failure, subject to the conditions of contract relating to extension of time, I/We shall be agreed ‘Liquidated damages’ for the period during which the work shall remain incomplete.

I/We hereby deposit with you as earnest money **Rs..... (RUPEES**  
**.....ONLY) [Carrying no interest]**  
and I/We fail to take up the contract when called up on to do so.

Our Bankers are

1.

2.

Place:

Date:

Signature of the tenderer

Name of the partners of the firm

Or

Name of the person having power of attorney to sign the contract



## **SPECIAL CONDITIONS**

### **GENERAL:**

**SPECIAL CONDITIONS OF CONTRACT shall be read in conjunction with GENERAL CONDITIONS OF CONTRACT and both form an integral part of contract. Where the two are at variance, the conditions stipulated in this as SPECIAL CONDITIONS shall supersede relevant GENERAL CONDITIONS.**

#### **1. SPECIAL CONDITIONS:**

##### **HELMETS :**

As a measure of safety, persons employed on the site, Engineers and Supervisors shall wear a helmet of approved make at all times when they are at the site. No visitors shall be allowed on work site without wearing helmet.

Contractors shall make arrangements to provide safety helmets to all the persons employed on the site, Engineers and Supervisors at his cost.

Contractors shall display safety and warning signs at strategic locations at the site.

##### **CHILD LABOUR:**

Contractor or his Sub-contractor shall not employ any child labourers on the work site, either permanently or temporarily. It shall be the responsibility of the main Contractor to make sure that no child labour is employed at the site. Contractor shall indemnify the Employer against any consequences statutory or otherwise, that may arise out of employing child labour on the site.

##### **TEMPORARY ELECTRICAL WIRING:**

It shall be the responsibility of the main Contractor to make sure that the temporary wiring for construction activity shall adhere to minimum safety precautions as per Electricity Act. All wires / cables shall be drawn on wooden poles properly fixed and shall be drawn overhead.

#### **2. LABOUR SHEDS:**

Labour sheds shall be constructed with non-combustible materials like GI sheets or Asbestos sheets. Contractor will not be permitted to use combustible materials such as palm leaves etc., for the construction of the labour sheds.

#### **3. MATERIALS SUPPLY / PROCUREMENT:**

No materials will be supplied by the owner. If any increase on the material procurement cost/ labour, P&M will not be entertained for any kind of escalation till completion of the project.

#### **4. BILLING CERTIFICATION & PAYMENT OF BILLS:**

##### **BILLING:**

The contractor shall prepare measured bills after completing the quantum of work as per the standard format and submit the same to the Institute for checking and issue of Certificates for Payment. A proper tax invoice (with breakup of the cost and taxes) shall be submitted and bill shall be settled within 30 days of receipt at IIA. Running account bills shall be prepared and submitted and payment is subject to consideration of the engineer in Charge/IIA.

**PAYMENT OF BILLS:**

The contractor shall be paid by the Employer from time to time based on the certificate from the architect/project in charge for running bill accounts and final bill.

**5. REPAIR OF WORKS DONE BY OTHER AGENCIES:**

The civil contractor shall make up any deficiency in the finishing of the areas damaged by other agencies in a workmanlike manner to achieve uniform finishing of the building at no extra cost.

**6. MATERIAL TESTS:**

The contractor shall provide such assistance, instruments, machines, labour and materials as are normally required for examining, measuring and testing.

The contractor shall install a compression testing machine at site to test concrete cubes and solid blocks.

The contractor shall maintain a record of all the test results in an approved format and periodically submit the same for Architect's/Employer's scrutiny.

**7. PLANT & MACHINERY:**

The contractor is obliged to furnish to the Employer detailed list of equipment, plant, machinery & personnel proposed to be deployed in this project.

**8. CLIENT'S & ARCHITECT'S OFFICES & FACILITIES:**

The contractor shall supply, erect and satisfactorily maintain in good repair until final completion of works, a well lighted temporary site office.

The contractor shall provide at all times for the duration of the contract survey instruments for the exclusive use of consultants as directed by consultants for carrying out of his duties in connection with the contract.

Such instruments which must be approved by the Architect shall include but not limited to the following:

- One theodolite & tripod capable of reading to 20 seconds
- One level with horizontal circle and tripod.
- Two metric leveling staffs not less than 3.5mtr high.
- One 100 metre rustless steel band, one 30 metre rustless steel tape and two 30 metre linen tapes.
- An adequate number of ranging rods drop arrows, wooden setting-out pegs, etc.

The contractor shall be solely responsible for all such instruments and equipment's and shall ensure that they are at all times in good repair and adjustment.

**9. SANITATION & DRAINAGE DURING CONSTRUCTION:**

The contractor shall provide sanitation and drainage facilities on the site as stated subsequently.

The contractor shall strictly control the labour so that the site is not polluted, made dirty or littered with debris, wastes or the likes. Any person found creating mess or litter or pollution shall be removed from the site immediately at contractor's cost.

The contractor shall provide sanitation facilities at convenient locations on site to preserve the cleanliness of the site. The effluent shall be directed as follows:

- Waste water : Collection and pumping out and disposal off the site in approved manner.
- Sewage : Septic tank provision - sludge to be collected and disposed off at intervals as directed.

The location of the above provisions shall be as marked on the site mobilization scheme drawing.

**10. DISCREPANCIES:**

The contractor shall bring to the notice of the Architect any discrepancies within or between contract drawings and/or the other contract documents prior to preparation of working drawings and commencement of work and shall not proceed with work until the Architect gives clarifications and instructions to proceed.

**11. REPORTS BY CONTRACTOR:**

- 11.1 The contractor shall file daily category-wise labour return. The report shall indicate scheduled requirement against actual strength.
- 11.2 The contractor shall prepare weekly reports of planned and actual progress of work and subsequent week's scheduled work. These will also include material procurement status. These reports shall be submitted to Architect and shall be reviewed during weekly co-ordination meeting.
- 11.3 The contractor shall submit monthly report along with monthly bills.
- 11.4 Further progress charts and schedules shall be prepared by the contractor as directed by the Architect.
- 11.5 The contractor shall submit re-conciliation statement of all the materials supplied by the Client, if any, along with every running & final bill.

**12. FORCE MAJEURE:**

If the work(s) be delayed by:-

- (i) Force majeure, or
- (ii) Abnormally bad weather, or
- (iii) Serious loss or damage by fire, or
- (iv) Civil commotion, local commotion of workmen, strike or lockout, affecting any of the trades employed on the work, or
- (v) Delay on the part of other contractors or tradesmen engaged by Engineer-in-Charge in executing work not forming part of the Contract, or
- (vi) Non-availability of stores, which are the responsibility of Government to supply or
- (vii) Non-availability or break down of tools and Plant to be supplied or supplied by Government or

- (viii) Any other cause which, in the absolute discretion of the Engineer-in-Charge is beyond the Contractor's control.

Then upon the happening of any such event causing delay, the Contractor shall immediately give notice thereof in writing to the authority as indicated in Schedule but shall nevertheless use constantly his best endeavours to prevent or make good the delay and shall do all that may be reasonably required to the satisfaction of the Engineer-in-Charge to proceed with the works.

13. **PERFORMANCE GUARANTEE:**

To ensure due performance of the contract, performance security or Performance Bank Guarantee (PBG) is to be obtained from the successful bidder awarded the contract. Performance security should be for an amount of three (3) percent of the value of the contract or as per the prevailing notification on the date of work order.

In works contract it is usual to take three percent of contract value Performance Security. Performance security may be furnished in the form of an account payee demand draft, fixed deposit receipt from a commercial bank, bank guarantee issued/ confirmed from any of the commercial bank in India or online payment in an acceptable form, safeguarding the client's interest in all respects.

Performance Security is to be furnished by a specified date generally 21 (twenty-one) days after notification of the award and it should remain valid for a period of 60 (sixty) days beyond the date of completion of all contractual obligations of the contractor, including Defect Liability Period (DLP).

The performance security will be forfeited and credited to the procuring entity's account in the event of a breach of contract by the contractor. It should be refunded to the contractor without interest, after he duly performs and completes all obligations under the contract but not later than 365 days of completion of the Defect Liability Period (DLP). Return of Bid/ Performance Securities should be monitored and delays should be avoided. If feasible, so as to make the process transparent and visible.

14. **ARBITRATION:**

All disputes or differences which may arise between the IIA and the contractor, with regard to the meaning or interpretation or matter or things done or to be done in pursuance thereof, shall be resolved as per the Indian Arbitration Act 1996 by the Sole Arbitrator. The Director IIA is the sole arbitrator and his decision shall be final and binding on both the parties.

In case any dispute or difference shall arise between the IIA and the contractor either during the progress or after the completion or abandonment of the works as to the construction of this contract or as to any matter or thing of whatsoever nature arising there under or in connection therewith, then such dispute or difference shall be and is hereby referred to the Arbitration of a common Arbitrator, if agreed upon or otherwise to two Arbitrators one to be appointed by each party to the dispute and the Arbitration shall be governed by the Arbitration Act, for the time being in force.

## **SPECIAL NOTE TO THE BIDDERS**

1. The bidders are requested to visit the site and to get complete knowledge about the site conditions before quoting the rates.
2. The availability of materials, transportation of materials etc. to be ascertained before quoting the rate.
3. No labour will be allowed to work/stay beyond working hours and during institute holidays. If need to work/stay beyond working hours/on holidays, prior permission from the Engineer in Charge/Scientist in Charge should be obtained in writing.
4. No water and electricity will be supplied by IIA and separate arrangement has to be made by the contractor.
5. Quality and time for completion are the main essence of the contractor and contractor has to keep in mind while quoting the rates.
6. Since the area under renovation is scientific activity area, proper care to be taken to avoid disturbance to the working personnel.
7. All the debris shall be kept in one place as directed by the Engineer in Charge and disposed off outside the campus on working days. Working area/surrounding area shall be kept neat and clean every day after the work is completed.
8. All the materials shall be approved by IIA by providing sample/ mock up before executing the complete work. Clarification regarding tender clauses, technical specification, rate analysis etc. will be confirmed by referring to CPWD guidelines, works manual, specifications and analysis of rate which is binding on the contractor. The specifications, method of execution etc. shall be as per the standard guidelines of Indian Standards (IS Specifications).
9. The lowest quoted bidder cannot claim as lowest bidder unless the bidder satisfies all the tender conditions, technical qualifications and eligibility with supported documents complete in all respect.
10. **Please find the check list enclosed in the last page of this tender document and comply accordingly. (No document will be considered without check list compliance)**

## **COVID-19 Guidelines for Construction Workers**

- ❖ IIA is committed for protecting the health and safety of construction workers and workplaces during the COVID-19 pandemic. The contractor is hereby informed to adhere the following steps to reduce risk of spread to the corona virus for construction workers:
- ❖ Instruct workers who are sick/ having symptoms to stay away from site.
- ❖ Implement physical distancing practices to maintain at least 2 mts between co-workers/contractors/visitors, including while inside work trailers.
- ❖ Minimize close discussions at site among workers and visitors (including toolbox talks and safety meetings).
- ❖ Provide and have all workers wear face coverings (i.e., cloth face coverings or surgical masks) that have at least two layers of tightly woven breathable fabric, unless their work task requires a respirator. Face coverings should be provided at no cost to workers.
- ❖ Continue to use other normal control measures, including personal protective equipment, necessary to protect workers from other job hazards associated with construction activities.
- ❖ Provide and ensure workers use the supplies necessary for good hygiene practices. If workers do not have immediate access to soap and water, use alcohol-based hand sanitizers that contain at least 60 percent ethanol or 70% isopropanol.
- ❖ Do not allow workers to share tools and equipment. If sharing cannot be eliminated, clean and disinfect between each use.
- ❖ Clean and disinfect portable jobsite toilets and fill hand sanitizer dispensers regularly.
- ❖ IIA will take safety measures in view of COVID-19 at main gate by way of thermal scanning and hand sanitization for which all workers should cooperate.

# LIST OF APPROVED MATERIALS

## CIVIL

Sl. No	Material	Make
1	Steel	SAIL – TMT, VIZAG STEEL
2	Cement	ACC/Birla/L&T
3	Acrylic Exterior Emulsion	Asian Paints
4	Plastic Emulsion Paint	Asian Paints
5	Enamel Paint	Asian Paints
6	Gypsum/Mineral board	Gyproc (Saint-Gobain) / Armstrong
7	Glass	Saint Gobain, Modi
8	Flush Door	Kutty's Bond Wood/Hunsur Board
9	M.S. sections	Zindal/Tata/Vizag steel
10	Veneer/laminate/ply	Century/Greenlam/merino

## WATER SUPPLY AND SANITARY WORKS

Sl.No.	Material	Make
1	PVC	Astral/Ashirvad/Kisan/Supreme
2	CPVC	Astral/Ashirvad/Supreme/Prince
3	C.P. Fittings	Jaguar/approved equivalent
4	Bathroom accessories	Jaguar/approved equivalent
5	PVC Gutters	Kisan/approved equivalent
6	C.P. Fittings	Jaguar/approved equivalent
7	Bathroom accessories	Jaguar/approved equivalent
8	SFRC manhole frame and Covers	Southern Concrete Industries/approved equivalent
9	Kitchen sink	Nirali/ Approved Equivalent
10	Anchor bolts/pipe support system	Hilti / approved equivalent
11	CI Grating & MH frame & cover	NECO/ Approved equivalent

# **BILL OF QUANTITIES**



**Bill of Quantities for the work of “Renovation of Toilets in Evershed Guest House, Michie Smith Guest House and Evershed Annexe Building at IIA, Kodaikanal Observatory, Kodaikanal, Tamil Nadu”**

**(NOTE: Rates shall be quoted after reading the complete Specifications and understanding site conditions)**

Sl. No	Description	Quantity	Unit	Rate(Rs)		Amount(Rs)
				In figures	In words	
<b>A. Renovation works on Evershed Toilets Room no:2,3,4 and Outsource Dining Room</b>						
1	Dismantling old Wall Mud plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead	80.00	sqm			
2	Demolishing cement concrete manually/ by mechanical means Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge					
2.1	Nominal concrete 1:4:8 or leaner mix (i/c equivalent design mix)	2.70	cum			
3	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :					
3.1	1:4:8 (1 Cement : 4 coarse sand (zone-III) : 8 graded stone aggregate 40 mm nominal size)	2.15	cum			

Sl. No	Description	Quantity	Unit	Rate(Rs)		Amount(Rs)
				In figures	In words	
4	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level.					
4.1	Cement mortar 1:3 (1 cement : 3 coarse sand)	2.00	sqm			
5	12 mm cement plaster finished with a smooth surface of neat cement of mix : (Note: rate inclusive of scaffolding and considering the site conditions)					
5.1	1:4 (1 cement: 4 fine sand)	5.00	sqm			
6	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 Sq. meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge.					
6.1	With cement mortar 1:4 (1 cement : 4 fine sand)	10.00	sqm			
7	CEMENT PLASTER (IN COARSE SAND): 12 mm cement plaster of mix :					
7.1	1:4 (1 cement: 4 coarse sand)	105.00	Sqm			

Sl. No	Description	Quantity	Unit	Rate(Rs)		Amount(Rs)
				In figures	In words	
8	WALL TILES: Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per Sqm, including pointing in white cement mixed with pigment of matching shade complete. Base Price: 70 Rs/SFT	105.00	sqm			
9	FLOOR TILES: Providing and fixing 1st quality ceramic glazed floor tiles(Antiskid) conforming to IS : 15622 (thickness to be specified by the manufacturer ) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge in skirting, risers of steps and dados over 12 mm thick bed of cement Mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per Sqm including pointing in white cement mixed with pigment of matching shade complete. Base Price: 70 Rs/SFT	35.00	sqm			
10	Distempering with 1st quality acrylic distemper (ready made) having VOC content less than 50 gm per ltr. of approved manufacturer and of required shade and colour complete. as per manufacturer's specification. Including scaffolding, etc complete.					
10.1	One or more coats on old work	130.00	sqm			

Sl. No	Description	Quantity	Unit	Rate(Rs)		Amount(Rs)
				In figures	In words	
11	Painting (one or more coats) on rain water, soil waste and vent pipes and fittings with synthetic enamel paint of approved brand and manufacture and required colour on old work :					
11.1	100 mm diameter pipes	20.00	rm			
12	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade including cleaning the surfaces and rubbing the surface to achieve desired smooth surface, scaffolding etc; complete all as per specifications and directions of the Engineer-in-Charge.					
12.1	One or more coats on old work	100.00	sqm			
13	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:					
13.1	White Vitreous China Wash basin size 630x450 mm with a single 15 mm C.P. brass pillar tap each	2.00	each			
14	Refixing of existing Vitreous china flat back wash basin 630x450mm	1.00	each			

Sl. No	Description	Quantity	Unit	Rate(Rs)		Amount(Rs)
				In figures	In words	
15	Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete.	4.00	each			
16	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc.					
16.1	15 mm nominal outer dia Pipes	10.00	rm			
16.2	20 mm nominal outer dia Pipes	60.00	rm			
17	Providing, laying and jointing unplasticized PVC pipes and specials of working pressure as mentioned below conforming to IS:4985 including cost of necessary jointing materials, wall clips & labour for excavation of trenches, testing, refilling etc., complete all as per specifications.					
17.1	6Kg/Sqcm and 75mm OD	12.00	rm			

Sl. No	Description	Quantity	Unit	Rate(Rs)		Amount(Rs)
				In figures	In words	
17.2	6Kg/Sqcm and 110mm OD	15.00	rm			
18	Providing and fixing ball valve (brass) of approved quality, High or low pressure, with plastic floats complete :					
18.1	20 mm nominal bore	3.00	each			
19	Providing and fixing C.P. brass long nose bib cock of approved quality conforming to IS standards and weighing not less than 810 gms.					
19.1	15 mm nominal bore	3.00	each			
20	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, SS health faucet with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required : Base Price: 12500 Rs/ Each					
20.1	W.C. pan with ISI marked white solid plastic seat and lid each	2.00	each			

Sl. No	Description	Quantity	Unit	Rate(Rs)		Amount(Rs)
				In figures	In words	
21	Supplying and fixing in Stainless Steel Health Faucet including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. Make: Jaguar	3.00	each			
22	Supplying and fixing in PVC Nahini / Floor Trap including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc.					
22.1	Size 100mm x 75mm	2.00	each			
23	Providing and fixing Brass chromium towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour.					
23.1	600 mm long towel rail with total length of 645 mm, width 78 mm and effective height of 88 mm, weighing not less than 190 gms.	3.00	each			
24	Providing and fixing CP Brass Single lever telephonic wall mixer for hot and cold with sower of quality conforming to IS:8931 : Make Jaquar & make as approved by Engineer in charge					
24.1	(a) 15 mm nominal dia	3.00	each			
25	Providing and fixing C.P. brass shower arm and shower rose with 15 or 20 mm inlet with necessary fixtures etc., Complete the work as per Engineer In-charge. Make: Jaguar					

Sl. No	Description	Quantity	Unit	Rate(Rs)		Amount(Rs)
				In figures	In words	
25.1	100 mm diameter	4.00	each			
26	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931					
26.1	15mm nominal bore	10.00	each			
27	Providing and fixing Brass chromium soap Dish Holder having length of 138mm, breadth 102mm, height of 75mm with concealed fitting arrangements, weighing not less than 106 gms. Make: Jaguar	4.00	each			
28	Providing and fixing SS grating 100mm diameter including all fixtures and finishing, etc complete	4.00	each			
<b>Sub Total (A)</b>						
<b>B. Renovation works on Michie Smith Toilets Room nos. 1-4</b>						
1	Dismantling old Wall Mud plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead	85.00	sqm			



Sl. No	Description	Quantity	Unit	Rate(Rs)		Amount(Rs)
				In figures	In words	
2	Demolishing cement concrete manually/ by mechanical means Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge					
2.1	Nominal concrete 1:4:8 or leaner mix (i/c equivalent design mix)	3.00	cum			
3	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :					
3.1	1:4:8 (1 Cement : 4 coarse sand (zone-III) : 8 graded stone aggregate 40 mm nominal size)	3.00	cum			
4	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level.					
4.1	Cement mortar 1:3 (1 cement : 3 coarse sand)	1.00	sqm			
5	12 mm cement plaster finished with a smooth surface of neat cement of mix : (Note: rate inclusive of scaffolding and considering the site conditions)					
5.1	1:4 (1 cement: 4 fine sand)	5.00	sqm			

Sl. No	Description	Quantity	Unit	Rate(Rs)		Amount(Rs)
				In figures	In words	
6	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge.					
6.1	With cement mortar 1:4 (1 cement : 4 fine sand)	5.00	sqm			
7	<b>CEMENT PLASTER (IN COARSE SAND):</b> 12 mm cement plaster of mix :					
7.1	1:6 (1 cement: 6 coarse sand)	95.00	Sqm			
8	WALL TILES: Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete. Base Price: 70 Rs./SFT	95.00	sqm			

Sl. No	Description	Quantity	Unit	Rate(Rs)		Amount(Rs)
				In figures	In words	
9	FLOOR TILES: Providing and fixing 1st quality ceramic glazed floor tiles(Antiskid) conforming to IS : 15622 (thickness to be specified by the manufacturer ) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge in skirting, risers of steps and dados over 12 mm thick bed of cement Mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm including pointing in white cement mixed with pigment of matching shade complete. sqm 938.50. Base Price: 70 Rs/SFT	35.00	sqm			
10	Distempering with 1st quality acrylic distemper (ready made) having VOC content less than 50 gm per ltr. of approved manufacturer and of required shade and colour complete. as per manufacturer's specification. Including scaffolding, etc complete.					
10.1	One or more coats on old work	60.00	sqm			
11	Painting (one or more coats) on rain water, soil waste and vent pipes and fittings with synthetic enamel paint of approved brand and manufacture and required colour on old work :					
11.1	100 mm diameter pipes	25.00	rm			

Sl. No	Description	Quantity	Unit	Rate(Rs)		Amount(Rs)
				In figures	In words	
12	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade including cleaning the surfaces and rubbing the surface to achieve desired smooth surface, scaffolding etc; complete all as per specifications and directions of the Engineer-in-Charge.					
12.1	One or more coats on old work	43.00	sqm			
13	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:					
13.1	White Vitreous China Wash basin size 630x450 mm with a single 15 mm C.P. brass pillar tap each	1.00	each			
14	Refixing of existing Vitreous china flat back wash basin 630x450mm	3.00	each			
15	Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete.	4.00	each			

Sl. No	Description	Quantity	Unit	Rate(Rs)		Amount(Rs)
				In figures	In words	
16	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc.					
16.1	15 mm nominal outer dia Pipes	10.00	rm			
16.2	20 mm nominal outer dia Pipes	65.00	rm			
17	Providing, laying and jointing unplasticized PVC pipes and specials of working pressure as mentioned below conforming to IS:4985 including cost of necessary jointing materials, wall clips & labour for excavation of trenches, testing, refilling etc., complete all as per specifications.					
17.1	6Kg/Sqcm and 75mm OD	15.00	rm			
17.2	6Kg/Sqcm and 110mm OD	25.00	rm			
18	Providing and fixing ball valve (brass) of approved quality, High or low pressure, with plastic floats complete : Make: Ashirvad					

Sl. No	Description	Quantity	Unit	Rate(Rs)		Amount(Rs)
				In figures	In words	
18.1	20 mm nominal bore	4.00	each			
19	Providing and fixing C.P. brass long nose bib cock of approved quality conforming to IS standards and weighing not less than 810 gms. Make: Jaguar					
19.1	15 mm nominal bore	4.00	each			
20	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, SS health faucet with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required : Base Price: 12,500.00/Each					
20.1	W.C. pan with ISI marked white solid plastic seat and lid each	4.00	each			
21	Supplying and fixing in Stainless Steel Health Faucet including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. Make: Jaguar	4.00	each			

Sl. No	Description	Quantity	Unit	Rate(Rs)		Amount(Rs)
				In figures	In words	
22	Supplying and fixing in PVC Nahini / Floor Trap including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc.					
22.1	Size 100mm x 75mm	4.00	each			
23	Providing and fixing Brass chromium towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour.					
23.1	600 mm long towel rail with total length of 645 mm, width 78 mm and effective height of 88 mm, weighing not less than 190 gms.	1.00	each			
24	Providing and fixing CP Brass Single lever telephonic wall mixer for hot and cold with shower of quality conforming to IS:8931 : Make Jaquar & make as approved by Engineer in charge.					
24.1	(a) 15 mm nominal dia	4.00	each			
25	Providing and fixing C.P. brass shower arm and shower rose with 15 or 20 mm inlet :					
25.1	100 mm diameter	4.00	each			

Sl. No	Description	Quantity	Unit	Rate(Rs)		Amount(Rs)
				In figures	In words	
26	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931					
26.1	15mm nominal bore	10.00	each			
27	Providing and fixing Brass chromium soap Dish Holder having length of 138mm, breadth 102mm, height of 75mm with concealed fitting arrangements, weighing not less than 106 gms. Make: Jaguar	4.00	each			
28	Providing and fixing SS grating 15 cm diameter including all fixtures and finishing, etc complete	4.00	each			
<b>Sub Total (B)</b>						
<b>C. Renovation works on Annexe Toilet Passage</b>						
1	Hacking of CC flooring including cleaning for surface etc. complete as per direction of the Engineer-in-Charge.	12.00	sqm			
2	CEMENT PLASTER (IN COARSE SAND): 12 mm cement plaster of mix :					
2.1	1:6 (1 cement: 6 coarse sand) sqm 263.55	6.00	Sqm			
3	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :					



Sl. No	Description	Quantity	Unit	Rate(Rs)		Amount(Rs)
				In figures	In words	
3.1	1:3:6 (1 Cement : 3 coarse sand (zone-III) : 6 graded stone aggregate 20 mm nominal size)	0.50	Cum			
4	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in:					
4.1	Cement mortar 1:4 (1 cement : 4 coarse sand)	0.30	Cum			
5	WALL TILES: Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete. Base Price-70 Rs/SFT	10.00	sqm			
6	FLOOR TILES: Providing and laying Ceramic glazed floor tiles (Antiskid) of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS: 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc., complete. Base Price-70 Rs/SFT	15.00	sqm			

Sl. No	Description	Quantity	Unit	Rate(Rs)		Amount(Rs)
				In figures	In words	
7	Distempering with 1st quality acrylic distemper (ready made) having VOC content less than 50 gm per ltr. of approved manufacturer and of required shade and colour complete. as per manufacturer's specification. Including scaffolding, etc complete.					
7.1	One or more coats on old work	30.00	sqm			
8	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade including cleaning the surfaces and rubbing the surface to achieve desired smooth surface, scaffolding etc; complete all as per specifications and directions of the Engineer-in-Charge.					
8.1	One or more coats on old work	20.00	sqm			
9	Refixing of existing Vitreous china flat back wash basin 630x450mm	1.00	each			
10	Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete.	1.00	each			

Sl. No	Description	Quantity	Unit	Rate(Rs)		Amount(Rs)
				In figures	In words	
11	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc.					
11.1	20 mm nominal outer dia Pipes	1.00	rm			
12	Providing, laying and jointing unplasticized PVC pipes and specials of working pressure as mentioned below conforming to IS: 4985 including cost of necessary jointing materials, wall clips & labour for excavation of trenches, testing, refilling etc., complete all as per specifications.					
12.1	6Kg/Sqcm and 75mm OD	5.00	rm			
13	Providing and fixing ball valve (brass) of approved quality, High or low pressure, with plastic floats complete :					
13.1	20 mm nominal bore	1.00	each			
14	Providing and fixing C.P. brass long nose bib cock of approved quality conforming to IS standards and weighing not less than 810 gms.					

Sl. No	Description	Quantity	Unit	Rate(Rs)		Amount(Rs)
				In figures	In words	
14.1	15 mm nominal bore	1.00	each			
15	Providing and fixing Brass chromium towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour.					
15.1	600 mm long towel rail with total length of 645 mm, width 78 mm and effective height of 88 mm, weighing not less than 190 gms.	1.00	each			
16	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931					
16.1	15mm nominal bore	1.00	each			
17	Providing and fixing Brass chromium soap Dish Holder having length of 138mm, breadth 102mm, height of 75mm with concealed fitting arrangements, weighing not less than 106 gms.	1.00	each			
<b>Sub Total (C)</b>						
<b>Total (A+B+C)= (D)</b>						
<b>GST on (D) @ ..... % (E)</b>						
<b>Grand Total (D+E) = (F)</b>						

**Grand Total amount in words.....**  
.....

Date:

Signature of the contractor with seal

Place:

# **CHECK LIST**

**ALL THE BIDDERS ARE REQUESTED TO COMPLETE THE CHECK LIST WITH NECESSARY DOCUMENTS AND COMPLY ACCORDINGLY**

<b>Sl.No.</b>	<b>Document to be furnished</b>	<b>YES/NO</b>	<b>REMARKS</b>
1	Tender document fee (Non Refundable)		
2	Bid security declaration from		
3	Complete tender document duly signed by contractor/authorized representative. Power of Attorney to be attached in case of partnership firm)		
4	Please mention the name of the work, tender number, contractor address etc. on cover / envelop		
5	Valid Contractor License issued by PWD / CPWD etc.		
6	PAN Details		
7	GST Details with latest 3 GST paid receipts		
8	Financial Documents like turnover certificate, IT returns for last 3 Financial Years, assessment order issued by Income Tax dept.		

Signature of the Contractor with Stamp

**Annexure – I**

**FORMAT OF BID SECURITY DECLARATION FROM BIDDERS IN LIEU OF EMO**

**(On Bidders Letter head)**

I / We, the authorized signatory of M/s ..... ,  
participating in the subject tender No. .... for the item / job  
of..... , do hereby declare:

- a. That I / we have availed the benefit of waiver of EMD while submitting our offer against the subject Tender and no EMD being deposited for the said tender.
- b. That in the event we withdraw / modify our bid during the period of validity OR I/we fail to execute formal contract agreement within the given timeline OR I/we fail to submit a Performance Security within the given timeline OR I/we commit any breach of Tender Conditions / Contract which attracts penal action of forfeiture of EMD and I/we will be suspended from being eligible for bidding / award of all future contract(s) of Indian Institute of Astrophysics for a period of one year from the date of committing such breach.

**Signature and Seal of Authorised Signatory of bidder**

**Name of Authorized Signatory .....**

**Company Name .....**